



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
1,1	Portable oxygen set, complete containing:	appliance for the administration of oxygen	As directed by Doctor or Medical Officer	1		
1.1a	1 oxygen cylinder, 2l/200bar	Ready to use	As directed by Doctor or Medical Officer	1		
1.1b	1 spare oxygen cylinder, 2l/200bar	If no additional equipment from the MFAG on board consider to increase amount of oxygen to 4 X 10l	As directed by Doctor or Medical Officer	1		
1.1c	Pressure regulating unit and flow meter with tubes such that ship's industrial oxygen can also be used	Use as directed	As directed by Doctor or Medical Officer	1		
1.1d	3 disposable face masks of choice: including simple face mask and non-rebreathing mask	Use as directed	As directed by Doctor or Medical Officer	3		
1.2a	Guedel airway (Mayo-tube): size medium	Oropharyngeal airway	As directed by Doctor or Medical Officer	1		
1.2b	Guedel airway (Mayo-tube): size large	Oropharyngeal airway	As directed by Doctor or Medical Officer	1		
1.3a	Manual aspirator to clear upper airways	Mechanical aspirator	As directed by Doctor or Medical Officer	1		
1.3b	Catheters for aspirator,	Mechanical aspirator, different sizes	As directed by Doctor or Medical Officer	2		
1,4	Ambubag or equivalent; supplied with small, medium, and large masks	Bag and mask resuscitator including oxygen reservoir bag and oxygen tubing	As directed by Doctor or Medical Officer	1		
1,5	Brook Airway, Lifeway, pocket face mask or equivalent	Cannula for mouth-to-mouth resuscitation	As directed by Doctor or Medical Officer	1		
2,1	Assorted wound-plaster or plaster strips, water resistant ?nslim and broad	adhesive dressings	As directed by Doctor or Medical Officer	200		
2.2a	Sterile gauze compresses, 5cm x 5cm, sterile	Sterile gauze compresses	As directed by Doctor or Medical Officer	100		
2.2b	Sterile gauze compresses, 10 cm x 10cm	Sterile gauze compresses	As directed by Doctor or Medical Officer	100		
2,3	Gauze roll, 5cm and 60 or 90 cm x 100 m, non-sterile	Gauze roll 60 cm / 90 cm my be substituted by gauze roll of smaller size	As directed by Doctor or Medical Officer	1		
2,4	Non-adherent gauze dressing, square 10cm	Gauze dressing with non-adherent surface	As directed by Doctor or Medical Officer	30		
2,5	Paraffin gauze dressing, 10 x 10 cm, sterile	Vaseline gauze	As directed by Doctor or Medical Officer	40		
2,6	Elastic fixation bandage, 4 m x 6cm	Bandage	As directed by Doctor or Medical Officer	9		
2.7a	First-aid absorbent gauze- covered cotton pad sewn onto a cotton bandage (ambulance dressing) small	Sterile compression bandages.	As directed by Doctor or Medical Officer	10		
2.7b	First-aid absorbent gauze- covered cotton pad sewn onto a cotton bandage (ambulance	Sterile compression bandages	As directed by Doctor or Medical Officer	10		
2.7c	First-aid absorbent gauze- covered cotton pad sewn onto a cotton bandage (ambulance dressing) large	Sterile compression bandages	As directed by Doctor or Medical Officer	10		
2.8a	Tubular gauze bandage for finger bandage, 5m	Tubular gauze for finger bandage	As directed by Doctor or Medical Officer	1		
2.8b	Applicator for finger bandage	Use as directed	As directed by Doctor or Medical Officer	1		
2,9	Adhesive elastic bandage 4mx6cm	Adhesive elastic bandage	As directed by Doctor or Medical Officer	10		
2,1	Triangular sling	Triangular sling.	As directed by Doctor or Medical Officer	5		
2,11	Sterile sheets for burn patients	Sterile sheet for burn victims.	As directed by Doctor or Medical Officer	4		
2,12	Honey for dressing burns 1kg, (only purified 1000 g)	Only if honey for medical purposes available Otherwise use a hydrogel-burnkit	As directed by Doctor or Medical Officer	2		
2,13	Adhesive tape, waterproof, skin-friendly, 5 x 1.25 cm	Adhesive sutures or zinc oxide bandages	As directed by Doctor or Medical Officer	6		
2,14	Q-tips (wooden)	Q-tips	As directed by Doctor or Medical Officer	100		



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
2,15	Safety pins (stainless steel), 12 pieces	safety pins	As directed by Doctor or Medical Officer	2		
2,16	Butterfly sutures, Steristrip?or Leukostrip? sterile	Butterfly sutures.	As directed by Doctor or Medical Officer	50		
2,17	2-octyl cyanoacrylate liquid, 0.5 m l	Skin adhesive for closing small wounds	As directed by Doctor or Medical Officer	1		
2.18 a	Sutures, absorbable with curved non-traumatic needles, 1?,	Suturing equipment. Replace with non-absorbable sutures for easier use	As directed by Doctor or Medical Officer	6		
2.18 b	Sutures, absorbable with curved non-traumatic needles, 3?,	Suturing equipment Replace with non-absorbable sutures for easier use,	As directed by Doctor or Medical Officer	6		
2.18 c	Sutures, absorbable with curved non-traumatic needles, 4-0or5-0	Suturing equipment. Replace with non-absorbable sutures for easier use	As directed by Doctor or Medical Officer	6		
2.19a	Disposable examination gloves, size M	Gloves	As directed by Doctor or Medical Officer	100		
2.19b	Disposable examination gloves, size L	Gloves	As directed by Doctor or Medical Officer	100		
2.19c	Surgical gloves size 6.5, sterile in pairs	Gloves (sterile)	As directed by Doctor or Medical Officer	5		
2.19d	Surgical gloves size 7.5, sterile, in pairs	Gloves (sterile)	As directed by Doctor or Medical Officer	5		
2.19e	Surgical gloves size 8.5, sterile, in pairs	Gloves (sterile)	As directed by Doctor or Medical Officer	5		
2,2	Eye pads	use as directed	As directed by Doctor or Medical Officer	3		
3,1	Scalpel, sterile, disposable	Disposable scalpels	As directed by Doctor or Medical Officer	10		
3,2	Instrument box (stainless steel)	Stainless-steel instrument box.	As directed by Doctor or Medical Officer	1		
3,3	Operating scissors, straight (stainless steel)	Scissors	As directed by Doctor or Medical Officer	1		
3,4	Bandage scissors (stainless steel)	Scissors	As directed by Doctor or Medical Officer	1		
3,5	Splinter forceps, pointed (stainless steel)	Forceps	As directed by Doctor or Medical Officer	1		
3,6	Teeth tissue forceps (stainless steel)	Forceps. Seepages	As directed by Doctor or Medical Officer	1		
3,7	Needle holder, Mayo-Hegar	Needle holder	As directed by Doctor or Medical Officer	1		
	180mm, straight		As directed by Doctor or Medical Officer			
3,8	Haemostatic clamp, Halstead mosquito, 125mm, stainless steel	Haemostatic clamps	As directed by Doctor or Medical Officer	2		
3,9	Razor, disposable	Disposable razors	As directed by Doctor or Medical Officer	5		
4,1	Tongue depressors, disposable	Disposable tongue depressors	As directed by Doctor or Medical Officer	100		
4,2	Reactive strips for urine analysis: blood/ glucose/ protein/nitrite/leukocytes	Reactive strips for urine analysis	As directed by Doctor or Medical Officer	100		
4,3	Microscope slides	Microscope slides	As directed by Doctor or Medical Officer	12		
4,4	Stethoscope	Stethoscope	As directed by Doctor or Medical Officer	1		
4,5	Sphygmomanometer (blood pressure set), preferably automatic	Aneroid sphygmomanometer	As directed by Doctor or Medical Officer	1		
4.6a	Standard thermometer, digital if possible	Standard thermometer	As directed by Doctor or Medical Officer	3		
4.6b	Rectal thermometer, digital if possible	Rectal thermometer	As directed by Doctor or Medical Officer	1		
4,7	Thermometer 32?-34?C, digital if possible	Hypothermic thermometer, preferable range 26?C to 42?C to differentiate between severe-moderate-mild hypothermia	As directed by Doctor or Medical Officer	1		
4,8	Penlight + blue cover	Penlight (blue light) to detect damage to cornea	As directed by Doctor or Medical Officer	1		
4,9	Waterproof indelible marker	Use as directed	As directed by Doctor or Medical Officer	1		
4,1	Magnifying glass (a x 8 loupe)	Use as directed	As directed by Doctor or Medical Officer	1		



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
5,1	Syringes, Luer connection, 2ml, sterile, disposable	Equipment for injection	As directed by Doctor or Medical Officer	30		
5,2	Syringes, Luer connection, 5ml, sterile, disposable	Equipment for injection	As directed by Doctor or Medical Officer	30		
5,3	Syringes, Luer connection, 10 ml, sterile, disposable	Equipment for injection	As directed by Doctor or Medical Officer	20		
5,4	Hypodermic subcutaneous needle, Luer connection, 16x0.5 m m (23 G or 25 G), sterile, disposable	Equipment for subcutaneous injection	As directed by Doctor or Medical Officer	40		
5,5	Hypodermic intramuscular needle (19G or 21G), Luer connection, 40x0.8mm, sterile, disposable	Equipment for intramuscular injection	As directed by Doctor or Medical Officer	40		
5,6	Needles, 19G or 21G, blunt, "drawing up" type	Equipment for drawing the medicine into the syringe	As directed by Doctor or Medical Officer	40		
5.7a	Intravenous infusion cannula 16G (1.7mm) or 19G, Luer-lock connection, sterile, non-recap type + mandarin	Equipment for intravenous fluid infusion	As directed by Doctor or Medical Officer	10		
5.7b	Intravenous infusion cannula 22G (0.8mm) or 21G, Luer-lock connection, sterile, non-recap type+mandrin	Equipment for intravenous fluid infusion	As directed by Doctor or Medical Officer	10		
5,8	Intravenous giving set, Luer- lock connection, steril +3-way valve/ connection	Equipment for intravenous infusion	As directed by Doctor or Medical Officer	10		
5,9	Tourniquet, blood-taking type, to be used with intravenous infusion cannula	Equipment for infusion	As directed by Doctor or Medical Officer	1		
5.10a	Penile sheath set with condom catheter, tube, and bag	Bladder drainage equipment	As directed by Doctor or Medical Officer	1		
5.10b	Indwelling urine catheter 14 CH	Bladder drainage equipment	As directed by Doctor or Medical Officer	1		
5.11a	Short-term urine catheter with soft-eye straight tip Thieman No. 12, or equivalent	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
5.11b	Short-term urine catheter with soft-eye straight tip Thiemann No 16, or equivalent	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
5.11c	Complete sterile urine catheterization set with lubricant, drapes, cotton swabs, skin disinfection, forceps, sterile container	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
5,12	Urine collecting bag and tube	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
6,1	Plastic goggles or full-face mask	Eye protection	As directed by Doctor or Medical Officer	1		
6,2	Disposable plastic apron	Plastic apron	As directed by Doctor or Medical Officer	10		
6,3	Kidney dish, stainless steel, 825ml	Kidney dish	As directed by Doctor or Medical Officer	2		
6,4	Towels, plastic backed, absorbent, 600x500mm	Plastic backed towels	As directed by Doctor or Medical Officer	10		
6,5	Safety box for sharps disposable, 5l	Safety box Size of 1-5 liters may be chosen	As directed by Doctor or Medical Officer	1		
6,6	Mask, duckbill type, disposable	Mask	As directed by Doctor or Medical Officer	100		
6,7	Tape measure, vinyl coated, 1.5m	Tape measure	As directed by Doctor or Medical Officer	1		
6,8	Draw sheet, plastic 90x180cm	Draw sheet	As directed by Doctor or Medical Officer	1		
6,9	Bedpan, stainless steel	Bedpan	As directed by Doctor or Medical Officer	1		
6,1	Hot-water bag	Hot-water bottle	As directed by Doctor or Medical Officer	1		
6,11	Urinal, male (plastic)	Urine bottle	As directed by Doctor or Medical Officer	1		
6,12	ColdHotpack maxi	Ice bag	As directed by Doctor or Medical Officer	1		



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
6,13	Aluminum foil blanket	Aluminium foil blanket	As directed by Doctor or Medical Officer	1		
6,14	Male condoms	Condoms, assorted sizes	As directed by Doctor or Medical Officer	300		
6,15	Plastic wash bottle, 250ml	Wash bottle	As directed by Doctor or Medical Officer	1		
6,16	Bottle, 1l plastic with screw top	Plastic bottle	As directed by Doctor or Medical Officer	1		
6,17	Stainless steel dressing tray 300x200x30mm	Dressing tray	As directed by Doctor or Medical Officer	1		
6,18	Bowl, stainless steel, 180ml	Bowl	As directed by Doctor or Medical Officer	1		
6,19	Jars, plastic, with lids and labels 100ml	Specimen jars	As directed by Doctor or Medical Officer	30		
6.20a	Bandages, POP, 5cmx2.7m	Plaster-of-Paris bandages, may be omitted if splints are carried	As directed by Doctor or Medical Officer	6		
6.20b	Bandages, POP, 10cmx2.7m	Plaster-of-Paris bandages, may be omitted if splints are carried	As directed by Doctor or Medical Officer	6		
6.21a	Stockinet sizes for arm splints 10m roll	Stockinet	As directed by Doctor or Medical Officer	1		
6.21b	Stockinet sizes for leg splints 10m roll	Stockinet	As directed by Doctor or Medical Officer	1		
6,22	Cotton wool roll 500g	Cotton wool.	As directed by Doctor or Medical Officer	2		
6,23	Alcohol swabs	70% alcohol swabs for skin cleansing prior to injection	As directed by Doctor or Medical Officer	100		
6,24	Nail brush	Nail brush	As directed by Doctor or Medical Officer	1		
6,25	Thermometer for refrigerator	If Tetanus vaccine and Immunoglobulin are on board	As directed by Doctor or Medical Officer	1		
6,26	Mortuary transfer bag	use as directed	As directed by Doctor or Medical Officer	1		
6,27	Water disinfection set including measure kit/ test stripes for pH and for residual chlorine	To disinfect potable water tanks with chlorine effectively.	As directed by Doctor or Medical Officer	1		
6,28	Disinfectant solution for medical instruments, 1000 ml: 3 % aqueous phenolic solution	For disinfection of used instruments* and thermometers, *Caution: All items entering the skin or are in direct contact with mucous membranes should be single use (i.e. injection needles, urinary catheters.	As directed by Doctor or Medical Officer	1		
6,29	Disinfectant for surfaces and floor, 1000 ml concentrate: 2% cetrimide solution or 3% aqueous phenolic solution	For disinfection of contaminated surfaces, hard- surface objects and floors (non-food-handling area)	As directed by Doctor or Medical Officer	1		
6.30 6.31	Disinfectant for surfaces and floor 1000 ml concentrate: sodium hypochlorite 100mg/ litre Chlorpyrifos 5g/l in Bait stations or gels	For disinfection of food-handling area: cutlery, dishes, plates, glasses) To use against cockroaches in food storage and preparation area	As directed by Doctor or Medical Officer	2 20		
6,32	Chlorpyrifos-methyl 7-10 g/l Spray ? piece	To use against cockroaches in other areas than food storage and preparation area.	As directed by Doctor or Medical Officer	10		
6,33	Insecticide spray Permethrine, natural pyrethrins or chlorpyrifos-methyl	For space spraying, not for skin	As directed by Doctor or Medical Officer	3		
7,1	Malleable finger splint	Malleable splints (small)	As directed by Doctor or Medical Officer	1		
7,2	Malleable forearm/ hand splint	Malleable splints (medium)	As directed by Doctor or Medical Officer	2		
7,3	Malleable splint legs	Malleable splints (large)	As directed by Doctor or Medical Officer	2		
7,4	Stretcher	Stretcher equipment (a system for trauma management, i.e. immobilization and stretcher equipment most suited for treatment in the vessel	As directed by Doctor or Medical Officer	1		
7,5	Cervical rigid collar variable size	for neck immobilisation.	As directed by Doctor or Medical Officer	1		



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
1,1	Portable oxygen set, complete containing:	appliance for the administration of oxygen	As directed by Doctor or Medical Officer	1		
1.1a	1 oxygen cylinder, 2l/200bar	Ready to use	As directed by Doctor or Medical Officer	1		
1.1b	1 spare oxygen cylinder, 2l/200bar	If no additional equipment from the MFAG on board consider to increase amount of oxygen to 4 X 10l	As directed by Doctor or Medical Officer	1		
1.1c	Pressure regulating unit and flow meter with tubes such that ship's industrial oxygen can also be used	Use as directed	As directed by Doctor or Medical Officer	1		
1.1d	3 disposable face masks of choice: including simple face mask and non-rebreathing mask	Use as directed	As directed by Doctor or Medical Officer	3		
1.2a	Guedel airway (Mayo-tube): size medium	Oropharyngeal airway	As directed by Doctor or Medical Officer	1		
1.2b	Guedel airway (Mayo-tube): size large	Oropharyngeal airway	As directed by Doctor or Medical Officer	1		
1.3a	Manual aspirator to clear upper airways	Mechanical aspirator	As directed by Doctor or Medical Officer	1		
1.3b	Catheters for aspirator,	Mechanical aspirator, different sizes	As directed by Doctor or Medical Officer	2		
1,4	Ambubag or equivalent; supplied with small, medium, and large masks	Bag and mask resuscitator including oxygen reservoir bag and oxygen tubing	As directed by Doctor or Medical Officer	1		
1,5	Brook Airway, Lifeway, pocket face mask or equivalent	Cannula for mouth-to-mouth resuscitation	As directed by Doctor or Medical Officer	1		
2,1	Assorted wound-plaster or plaster strips, water resistant ?nslim and broad	adhesive dressings	As directed by Doctor or Medical Officer	200		
2.2a	Sterile gauze compresses, 5cm x 5cm, sterile	Sterile gauze compresses	As directed by Doctor or Medical Officer	100		
2.2b	Sterile gauze compresses, 10 cm x 10cm	Sterile gauze compresses	As directed by Doctor or Medical Officer	100		
2,3	Gauze roll, 5cm and 60 or 90 cm x 100 m, non-sterile	Gauze roll 60 cm / 90 cm my be substituted by gauze roll of smaller size	As directed by Doctor or Medical Officer	1		
2,4	Non-adherent gauze dressing, square 10cm	Gauze dressing with non-adherent surface	As directed by Doctor or Medical Officer	30		
2,5	Paraffin gauze dressing, 10 x 10 cm, sterile	Vaseline gauze	As directed by Doctor or Medical Officer	40		
2,6	Elastic fixation bandage, 4 m x 6cm	Bandage	As directed by Doctor or Medical Officer	9		
2.7a	First-aid absorbent gauze- covered cotton pad sewn onto a cotton bandage (ambulance dressing) small	Sterile compression bandages.	As directed by Doctor or Medical Officer	10		
2.7b	First-aid absorbent gauze- covered cotton pad sewn onto a cotton bandage (ambulance	Sterile compression bandages	As directed by Doctor or Medical Officer	10		
2.7c	First-aid absorbent gauze- covered cotton pad sewn onto a cotton bandage (ambulance dressing) large	Sterile compression bandages	As directed by Doctor or Medical Officer	10		
2.8a	Tubular gauze bandage for finger bandage, 5m	Tubular gauze for finger bandage	As directed by Doctor or Medical Officer	1		
2.8b	Applicator for finger bandage	Use as directed	As directed by Doctor or Medical Officer	1		
2,9	Adhesive elastic bandage 4mx6cm	Adhesive elastic bandage	As directed by Doctor or Medical Officer	10		
2,1	Triangular sling	Triangular sling.	As directed by Doctor or Medical Officer	5		
2,11	Sterile sheets for burn patients	Sterile sheet for burn victims.	As directed by Doctor or Medical Officer	4		
2,12	Honey for dressing burns 1kg, (only purified 1000 g)	Only if honey for medical purposes available Otherwise use a hydrogel-burnkit	As directed by Doctor or Medical Officer	2		
2,13	Adhesive tape, waterproof, skin-friendly, 5 x 1.25 cm	Adhesive sutures or zinc oxide bandages	As directed by Doctor or Medical Officer	6		
2,14	Q-tips (wooden)	Q-tips	As directed by Doctor or Medical Officer	100		



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
2,15	Safety pins (stainless steel), 12 pieces	safety pins	As directed by Doctor or Medical Officer	2		
2,16	Butterfly sutures, Steristrip?or Leukostrip? sterile	Butterfly sutures.	As directed by Doctor or Medical Officer	50		
2,17	2-octyl cyanoacrylate liquid, 0.5 m l	Skin adhesive for closing small wounds	As directed by Doctor or Medical Officer	1		
2.18 a	Sutures, absorbable with curved non-traumatic needles, 1?,	Suturing equipment. Replace with non-absorbable sutures for easier use	As directed by Doctor or Medical Officer	6		
2.18 b	Sutures, absorbable with curved non-traumatic needles, 3?,	Suturing equipment Replace with non-absorbable sutures for easier use,	As directed by Doctor or Medical Officer	6		
2.18 c	Sutures, absorbable with curved non-traumatic needles, 4-0or5-0	Suturing equipment. Replace with non-absorbable sutures for easier use	As directed by Doctor or Medical Officer	6		
2.19a	Disposable examination gloves, size M	Gloves	As directed by Doctor or Medical Officer	100		
2.19b	Disposable examination gloves, size L	Gloves	As directed by Doctor or Medical Officer	100		
2.19c	Surgical gloves size 6.5, sterile in pairs	Gloves (sterile)	As directed by Doctor or Medical Officer	5		
2.19d	Surgical gloves size 7.5, sterile, in pairs	Gloves (sterile)	As directed by Doctor or Medical Officer	5		
2.19e	Surgical gloves size 8.5, sterile, in pairs	Gloves (sterile)	As directed by Doctor or Medical Officer	5		
2,2	Eye pads	use as directed	As directed by Doctor or Medical Officer	3		
3,1	Scalpel, sterile, disposable	Disposable scalpels	As directed by Doctor or Medical Officer	10		
3,2	Instrument box (stainless steel)	Stainless-steel instrument box.	As directed by Doctor or Medical Officer	1		
3,3	Operating scissors, straight (stainless steel)	Scissors	As directed by Doctor or Medical Officer	1		
3,4	Bandage scissors (stainless steel)	Scissors	As directed by Doctor or Medical Officer	1		
3,5	Splinter forceps, pointed (stainless steel)	Forceps	As directed by Doctor or Medical Officer	1		
3,6	Teeth tissue forceps (stainless steel)	Forceps. Seepages	As directed by Doctor or Medical Officer	1		
3,7	Needle holder, Mayo-Hegar	Needle holder	As directed by Doctor or Medical Officer	1		
	180mm, straight		As directed by Doctor or Medical Officer			
3,8	Haemostatic clamp, Halstead mosquito, 125mm, stainless steel	Haemostatic clamps	As directed by Doctor or Medical Officer	2		
3,9	Razor, disposable	Disposable razors	As directed by Doctor or Medical Officer	5		
4,1	Tongue depressors, disposable	Disposable tongue depressors	As directed by Doctor or Medical Officer	100		
4,2	Reactive strips for urine analysis: blood/ glucose/ protein/nitrite/leukocytes	Reactive strips for urine analysis	As directed by Doctor or Medical Officer	100		
4,3	Microscope slides	Microscope slides	As directed by Doctor or Medical Officer	12		
4,4	Stethoscope	Stethoscope	As directed by Doctor or Medical Officer	1		
4,5	Sphygmomanometer (blood pressure set), preferably automatic	Aneroid sphygmomanometer	As directed by Doctor or Medical Officer	1		
4.6a	Standard thermometer, digital if possible	Standard thermometer	As directed by Doctor or Medical Officer	3		
4.6b	Rectal thermometer, digital if possible	Rectal thermometer	As directed by Doctor or Medical Officer	1		
4,7	Thermometer 32?-34?C, digital if possible	Hypothermic thermometer, preferable range 26?C to 42?C to differentiate between severe-moderate-mild hypothermia	As directed by Doctor or Medical Officer	1		
4,8	Penlight + blue cover	Penlight (blue light) to detect damage to cornea	As directed by Doctor or Medical Officer	1		
4,9	Waterproof indelible marker	Use as directed	As directed by Doctor or Medical Officer	1		
4,1	Magnifying glass (a x 8 loupe)	Use as directed	As directed by Doctor or Medical Officer	1		



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
5,1	Syringes, Luer connection, 2ml, sterile, disposable	Equipment for injection	As directed by Doctor or Medical Officer	30		
5,2	Syringes, Luer connection, 5ml, sterile, disposable	Equipment for injection	As directed by Doctor or Medical Officer	30		
5,3	Syringes, Luer connection, 10 ml, sterile, disposable	Equipment for injection	As directed by Doctor or Medical Officer	20		
5,4	Hypodermic subcutaneous needle, Luer connection, 16x0.5 m m (23 G or 25 G), sterile, disposable	Equipment for subcutaneous injection	As directed by Doctor or Medical Officer	40		
5,5	Hypodermic intramuscular needle (19G or 21G), Luer connection, 40x0.8mm, sterile, disposable	Equipment for intramuscular injection	As directed by Doctor or Medical Officer	40		
5,6	Needles, 19G or 21G, blunt, "drawing up" type	Equipment for drawing the medicine into the syringe	As directed by Doctor or Medical Officer	40		
5.7a	Intravenous infusion cannula 16G (1.7mm) or 19G, Luer-lock connection, sterile, non-recap type + mandarin	Equipment for intravenous fluid infusion	As directed by Doctor or Medical Officer	10		
5.7b	Intravenous infusion cannula 22G (0.8mm) or 21G, Luer-lock connection, sterile, non-recap type+mandrin	Equipment for intravenous fluid infusion	As directed by Doctor or Medical Officer	10		
5,8	Intravenous giving set, Luer- lock connection, steril +3-way valve/ connection	Equipment for intravenous infusion	As directed by Doctor or Medical Officer	10		
5,9	Tourniquet, blood-taking type, to be used with intravenous infusion cannula	Equipment for infusion	As directed by Doctor or Medical Officer	1		
5.10a	Penile sheath set with condom catheter, tube, and bag	Bladder drainage equipment	As directed by Doctor or Medical Officer	1		
5.10b	Indwelling urine catheter 14 CH	Bladder drainage equipment	As directed by Doctor or Medical Officer	1		
5.11a	Short-term urine catheter with soft-eye straight tip Thieman No. 12, or equivalent	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
5.11b	Short-term urine catheter with soft-eye straight tip Thiemann No 16, or equivalent	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
5.11c	Complete sterile urine catheterization set with lubricant, drapes, cotton swabs, skin disinfection, forceps, sterile container	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
5,12	Urine collecting bag and tube	Bladder drainage equipment	As directed by Doctor or Medical Officer	2		
6,1	Plastic goggles or full-face mask	Eye protection	As directed by Doctor or Medical Officer	1		
6,2	Disposable plastic apron	Plastic apron	As directed by Doctor or Medical Officer	10		
6,3	Kidney dish, stainless steel, 825ml	Kidney dish	As directed by Doctor or Medical Officer	2		
6,4	Towels, plastic backed, absorbent, 600x500mm	Plastic backed towels	As directed by Doctor or Medical Officer	10		
6,5	Safety box for sharps disposable, 5l	Safety box Size of 1-5 liters may be chosen	As directed by Doctor or Medical Officer	1		
6,6	Mask, duckbill type, disposable	Mask	As directed by Doctor or Medical Officer	100		
6,7	Tape measure, vinyl coated, 1.5m	Tape measure	As directed by Doctor or Medical Officer	1		
6,8	Draw sheet, plastic 90x180cm	Draw sheet	As directed by Doctor or Medical Officer	1		
6,9	Bedpan, stainless steel	Bedpan	As directed by Doctor or Medical Officer	1		
6,1	Hot-water bag	Hot-water bottle	As directed by Doctor or Medical Officer	1		
6,11	Urinal, male (plastic)	Urine bottle	As directed by Doctor or Medical Officer	1		
6,12	ColdHotpack maxi	Ice bag	As directed by Doctor or Medical Officer	1		



Medical Equipment List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
6,13	Aluminum foil blanket	Aluminium foil blanket	As directed by Doctor or Medical Officer	1		
6,14	Male condoms	Condoms, assorted sizes	As directed by Doctor or Medical Officer	300		
6,15	Plastic wash bottle, 250ml	Wash bottle	As directed by Doctor or Medical Officer	1		
6,16	Bottle, 1l plastic with screw top	Plastic bottle	As directed by Doctor or Medical Officer	1		
6,17	Stainless steel dressing tray 300x200x30mm	Dressing tray	As directed by Doctor or Medical Officer	1		
6,18	Bowl, stainless steel, 180ml	Bowl	As directed by Doctor or Medical Officer	1		
6,19	Jars, plastic, with lids and labels 100ml	Specimen jars	As directed by Doctor or Medical Officer	30		
6.20a	Bandages, POP, 5cmx2.7m	Plaster-of-Paris bandages, may be omitted if splints are carried	As directed by Doctor or Medical Officer	6		
6.20b	Bandages, POP, 10cmx2.7m	Plaster-of-Paris bandages, may be omitted if splints are carried	As directed by Doctor or Medical Officer	6		
6.21a	Stockinet sizes for arm splints 10m roll	Stockinet	As directed by Doctor or Medical Officer	1		
6.21b	Stockinet sizes for leg splints 10m roll	Stockinet	As directed by Doctor or Medical Officer	1		
6,22	Cotton wool roll 500g	Cotton wool.	As directed by Doctor or Medical Officer	2		
6,23	Alcohol swabs	70% alcohol swabs for skin cleansing prior to injection	As directed by Doctor or Medical Officer	100		
6,24	Nail brush	Nail brush	As directed by Doctor or Medical Officer	1		
6,25	Thermometer for refrigerator	If Tetanus vaccine and Immunoglobulin are on board	As directed by Doctor or Medical Officer	1		
6,26	Mortuary transfer bag	use as directed	As directed by Doctor or Medical Officer	1		
6,27	Water disinfection set including measure kit/ test stripes for pH and for residual chlorine	To disinfect potable water tanks with chlorine effectively.	As directed by Doctor or Medical Officer	1		
6,28	Disinfectant solution for medical instruments, 1000 ml: 3 % aqueous phenolic solution	For disinfection of used instruments* and thermometers, *Caution: All items entering the skin or are in direct contact with mucous membranes should be single use (i.e. injection needles, urinary catheters.	As directed by Doctor or Medical Officer	1		
6,29	Disinfectant for surfaces and floor, 1000 ml concentrate: 2% cetrimide solution or 3% aqueous phenolic solution	For disinfection of contaminated surfaces, hard- surface objects and floors (non-food-handling area)	As directed by Doctor or Medical Officer	1		
6.30 6.31	Disinfectant for surfaces and floor 1000 ml concentrate: sodium hypochlorite 100mg/ litre Chlorpyrifos 5g/l in Bait stations or gels	For disinfection of food-handling area: cutlery, dishes, plates, glasses) To use against cockroaches in food storage and preparation area	As directed by Doctor or Medical Officer	2 20		
6,32	Chlorpyrifos-methyl 7-10 g/l Spray ? piece	To use against cockroaches in other areas than food storage and preparation area.	As directed by Doctor or Medical Officer	10		
6,33	Insecticide spray Permethrine, natural pyrethrins or chlorpyrifos-methyl	For space spraying, not for skin	As directed by Doctor or Medical Officer	3		
7,1	Malleable finger splint	Malleable splints (small)	As directed by Doctor or Medical Officer	1		
7,2	Malleable forearm/ hand splint	Malleable splints (medium)	As directed by Doctor or Medical Officer	2		
7,3	Malleable splint legs	Malleable splints (large)	As directed by Doctor or Medical Officer	2		
7,4	Stretcher	Stretcher equipment (a system for trauma management, i.e. immobilization and stretcher equipment most suited for treatment in the vessel	As directed by Doctor or Medical Officer	1		
7,5	Cervical rigid collar variable size	for neck immobilisation.	As directed by Doctor or Medical Officer	1		





## Medicine List-Liberia

Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
1	Acetylsalicylic acid 300mg tablet	High dose (600"-900mg): to reduce pain, fever, inflammation, low dose (100-150mg) to inhibit formation of blood clots in angina pectoris, myocardial infarction, stroke	As directed by Doctor or Medical Officer	300		
2	Aciclovir 400mg tbl.	For treatment of primary or recurrent herpes simplex virus infection; may be useful for severe varicella and herpes zoster infection (doctor should be consulted)	As directed by Doctor or Medical Officer	70		
3	Adrenaline 1:1000 ampoule 1ml = 1 mg	To raise blood pressure in anaphylaxis To dilate airways in severe asthma or anaphylaxis	As directed by Doctor or Medical Officer	10		
4	Amethocaine (tetracaine hydrochloride) 0.5% eye drops, single-use vial 1ml	for eye examination and procedures	As directed by Doctor or Medical Officer	20		
5	Amoxicillin + clavulanate tablets 875mg/125mg	To treat infections responsive to this antibiotic	As directed by Doctor or Medical Officer	30		
6	Antimalarial prophylaxis	Prophylaxis and treatment of Malaria as	As directed by Doctor or Medical Officer	QTY Depends on ship crew		
7	Artemether Ampoule 1 ml = (80mg)	Treatment of severe malaria, required only for voyages to areas where malaria transmission is a risk	As directed by Doctor or Medical Officer	5		
8	Artemether + Lumefantrine tablets 20mg + 120mg	Treatment of malaria, required only for voyages to areas where malaria transmission is a risk	As directed by Doctor or Medical Officer	48		
9	Atropine ampoule 1.2 mg/ml	To treat slow heart rate in myocardial infarction To treat organophosphate insecticide poisoning	As directed by Doctor or Medical Officer	10		
10	Azithromycin tablet 500mg	To treat infections responsive to this antibiotics	As directed by Doctor or Medical Officer	6		
11	Ceftriaxone ampoule 1g powder for injection (dissolve in water for injection)	To treat infections responsive to this antibiotic	As directed by Doctor or Medical Officer	45		
12	Cetirizine tablet 10mg	To treat allergy symptoms in hay fever, hives, allergic dermatitis, etc.	As directed by Doctor or Medical Officer	30		
13	Charcoal, activated 50g in 300 ml purified water	To absorb ingested poisons.	As directed by Doctor or Medical Officer	2		
14	Ciprofloxacin tablet 250mg	To treat infections responsive to this antibiotic	As directed by Doctor or Medical Officer	40		
15	Cloves, oil of 10 ml	Toothache	As directed by Doctor or Medical Officer	1		
16	Dexamethasone ampoule 4mg/ml	To treat life-threatening and severe asthma To treat anaphylaxis To treat severe allergic reactions	As directed by Doctor or Medical Officer	5		
17	Diazepam tablets 5mg	to treat alcohol withdrawal	As directed by Doctor or Medical Officer	100		
18	Docusate with Senna tablet 50mg +8mg	To avoid straining in patients with anal fissure and hemorrhoids To prevent constipation caused by opioid use	As directed by Doctor or Medical Officer	40		
19	Doxycycline tablet 100mg	as recommended in IMGS3 for the specific infection	As directed by Doctor or Medical Officer	40		
20	Ethanol 70%, hand cleanser gel 250ml	an alternative to hand-washing when hands are not obviously soiled	As directed by Doctor or Medical Officer	6		
21	Ethanol 70%, liquid Liquid 500 ml	to disinfect instruments and surfaces	As directed by Doctor or Medical Officer	2		
22	Fluorescein 1%, strips or single use vials 1 ml	to detect damage to cornea: damaged area stains yellow / green	As directed by Doctor or Medical Officer	20		
23	Frusemide Ampoule 4ml = 40mg	to treat severe fluid retention in lungs (pulmonary oedema) due to cardiac failure	As directed by Doctor or Medical Officer	5		
24	Glucagon, ready to use ampoule 1mg amp	to treat low blood sugar (hypoglycaemia) due to insulin when oral intake is impossible and intravenous glucose cannot be given. It is recommended to carry a glucose measuring instrument on board.	As directed by Doctor or Medical Officer	1		



Medicine List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
25	Haloperidol Ampoule 1 ml= 5mg	to treat psychotic hallucinations and delusions to treat severe agitation and aggressiveness	As directed by Doctor or Medical Officer	10		
26	Hydrocortisone 1% cream Cream (20 - 30 gramm)	to treat allergy and some other inflammatory skin conditions	As directed by Doctor or Medical Officer	6		
27	Ibuprofen coated tablet 400 mg	to treat inflammation to reduce mildTo-moderate pain, especially if associated with inflammation	As directed by Doctor or Medical Officer	150		
28	Insect repellent lotions for skin. Vials for personal use DEET 20-35% formulation or Picaridin or p-menthane-3,8-	Consider diseases transmitted by mosquitoes as Dengue Fever , Malaria, YellowFever	As directed by Doctor or Medical Officer	QTY Depends on ship crew		
29	Isosorbide dinitrate tablet 5mg sublingual.	To treat angina pectoris (chest pain) To treat myocardial infarction	As directed by Doctor or Medical Officer	40		
30	Lignocaine 1% (without adrenaline)	for local anaesthesia when suturing wounds or performing minor surgery	As directed by Doctor or Medical Officer	10		
31	Loperamide tablet 2mg	to treat symptoms of diarrhea	As directed by Doctor or Medical Officer	90		
32	Mebendazole tablet 100mg	to treat intestinal worm infections not effective for tapeworm infection or hydatid disease	As directed by Doctor or Medical Officer	20		
33	Metoprolol tablet 100mg	To treat hypertension (high blood pressure) To treat artrial fibrillation (irregular or rapid heart rate)	As directed by Doctor or Medical Officer	60		
34	Metronidazole tablet 500mg	To treat infections responsive to antibiotics	As directed by Doctor or Medical Officer	30		
35	Miconazole 2% cream	To treat fungal skin infections	As directed by Doctor or Medical Officer	6		
36	Midazolam ampoule 1ml (= 5mg)	to terminate epileptic fits.	As directed by Doctor or Medical Officer	10		
37	Misoprostol tablet 200?	to prevent post-partum haemorrhage.	As directed by Doctor or Medical Officer	3		
38	Morphine (injectable) ampoule 1 ml = 10mg	To reduce severe pain To reduce pain not relieved by other analgesics	As directed by Doctor or Medical Officer	30		
39	Morphine (oral) liquid 1mg/ml 100ml bottle or 10 tablets with 10 mg	to reduce severe pain likely to last several days in patients able to eat and drink	As directed by Doctor or Medical Officer	1		
40	Naloxone Ampoule 1 ml (=0.4mg)	to reverse effects of opioids, especially in case of overdose	As directed by Doctor or Medical Officer	10		
41	Omeprazole tablets 20mg	To treat gastro-oesophageal reflux To treat peptic ulcer disease	As directed by Doctor or Medical Officer	60		
42	Ondansetron tablet 4mg	To prevent vomiting To prevent seasickness	As directed by Doctor or Medical Officer	20		
43	Oral rehydration salts sachets of powder for reconstitution	to prevent or treat dehydration, especially due to diarrhea	As directed by Doctor or Medical Officer	20		
44	Oxymetazoline 0.5% (or equivalent) drops or spray	to treat nasal obstruction due to allergies or viral infection, to improve sinus drainage in sinusitis	As directed by Doctor or Medical Officer	6		
45	Paracetamol Tablets 500mg	to reduce pain and fever (but not inflammation)	As directed by Doctor or Medical Officer	300		
46	Permethrin 1% lotion 250 ml	to eliminate hair, pubic, and body lice	As directed by Doctor or Medical Officer	2		
47	Permethrin 5%	to treat scabies	As directed by Doctor or Medical Officer	2		
48	Povidone iodine ointment 10%	to disinfect skin and wounds	As directed by Doctor or Medical Officer	4		
49	Povidone iodine solution 10%	to disinfect skin and wounds	As directed by Doctor or Medical Officer	4		
50	Prednisone tablet 25mg	To treat severe asthma To treat other inflammatory conditions (on medical advice)	As directed by Doctor or Medical Officer	60		
51	Petroleum jelly 50 g to 100 g (vaseline) *	To treat chapped skin. for lubricating rectal thermometer	As directed by Doctor or Medical Officer	4		
52	Salbutamol aerosol inhaler 0.1mg/dose	To treat asthma To treat chronic bronchitis	As directed by Doctor or Medical Officer	3		
52a	Volume spacer for salbutamol inhaler	To make inhaling salbutamol more effective	As directed by Doctor or Medical Officer	1		
53	Sodium chloride 0.9% infusion plastic-bottle 1 litre or 2x 500ml plastic bottle	for fluid replacement Can also be used for sterile eye irrigation,	As directed by Doctor or Medical Officer	5		



Medicine List-Liberia

Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantitiy
54	Sodium chloride 0.9% infusion plastic-bottle 10 ml	For sterile eye bathing and application of wet compresses	As directed by Doctor or Medical Officer	2		
55	Tetracycline 1% ointment Eye ?ointment 5 g	to treat minor eye infections; to prevent infections following damage to the cornea.	As directed by Doctor or Medical Officer	6		
56	Tetanus Immunoglobulin ampoule. (keep at 2-8?C)	Part of wound care if state of vaccination is unknown,	As directed by Doctor or Medical Officer	1		
57	Tetanus toxoid vaccination ampoule (keep at 2-8 ?C)	Part of wound care if state of vaccination is unknown	As directed by Doctor or Medical Officer	1		
58	Tramadol tablets 50 mg.	Against moderate pain; In severe pain use morphine;	As directed by Doctor or Medical Officer	50		
59	Vitamin K (Phytomenadione) Ampoule 1 ml= 10mg	to reverse excessive or unwanted effects of warfarin or related drugs.	As directed by Doctor or Medical Officer	2		
60	Water for injection Ampoules 5ml	reconstitution of injectable drugs provided as powders	As directed by Doctor or Medical Officer	40		
61	Zidovudine plus Lamivudine tablets, 300mg+150mg	Prophylaxis against HIV infections after needle-stick injury. One tablet daily twice daily for four weeks.	As directed by Doctor or Medical Officer	QTY Depends on ship crew		
62	Zinc oxide 20% paste or ointment 50-100 g	protection of irritated skin	As directed by Doctor or Medical Officer	5		



## Medicine List-Liberia

Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
1	Acetylsalicylic acid 300mg tablet	High dose (600"-900mg): to reduce pain, fever, inflammation, low dose (100-150mg) to inhibit formation of blood clots in angina pectoris, myocardial infarction, stroke	As directed by Doctor or Medical Officer	300		
2	Aciclovir 400mg tbl.	For treatment of primary or recurrent herpes simplex virus infection; may be useful for severe varicella and herpes zoster infection (doctor should be consulted)	As directed by Doctor or Medical Officer	70		
3	Adrenaline 1:1000 ampoule 1ml = 1 mg	To raise blood pressure in anaphylaxis To dilate airways in severe asthma or anaphylaxis	As directed by Doctor or Medical Officer	10		
4	Amethocaine (tetracaine hydrochloride) 0.5% eye drops, single-use vial 1ml	for eye examination and procedures	As directed by Doctor or Medical Officer	20		
5	Amoxicillin + clavulanate tablets 875mg/125mg	To treat infections responsive to this antibiotic	As directed by Doctor or Medical Officer	30		
6	Antimalarial prophylaxis	Prophylaxis and treatment of Malaria as	As directed by Doctor or Medical Officer	QTY Depends on ship crew		
7	Artemether Ampoule 1 ml = (80mg)	Treatment of severe malaria, required only for voyages to areas where malaria transmission is a risk	As directed by Doctor or Medical Officer	5		
8	Artemether + Lumefantrine tablets 20mg + 120mg	Treatment of malaria, required only for voyages to areas where malaria transmission is a risk	As directed by Doctor or Medical Officer	48		
9	Atropine ampoule 1.2 mg/ml	To treat slow heart rate in myocardial infarction To treat organophosphate insecticide poisoning	As directed by Doctor or Medical Officer	10		
10	Azithromycin tablet 500mg	To treat infections responsive to this antibiotics	As directed by Doctor or Medical Officer	6		
11	Ceftriaxone ampoule 1g powder for injection (dissolve in water for injection)	To treat infections responsive to this antibiotic	As directed by Doctor or Medical Officer	45		
12	Cetirizine tablet 10mg	To treat allergy symptoms in hay fever, hives, allergic dermatitis, etc.	As directed by Doctor or Medical Officer	30		
13	Charcoal, activated 50g in 300 ml purified water	To absorb ingested poisons.	As directed by Doctor or Medical Officer	2		
14	Ciprofloxacin tablet 250mg	To treat infections responsive to this antibiotic	As directed by Doctor or Medical Officer	40		
15	Cloves, oil of 10 ml	Toothache	As directed by Doctor or Medical Officer	1		
16	Dexamethasone ampoule 4mg/ml	To treat life-threatening and severe asthma To treat anaphylaxis To treat severe allergic reactions	As directed by Doctor or Medical Officer	5		
17	Diazepam tablets 5mg	to treat alcohol withdrawal	As directed by Doctor or Medical Officer	100		
18	Docusate with Senna tablet 50mg +8mg	To avoid straining in patients with anal fissure and hemorrhoids To prevent constipation caused by opioid use	As directed by Doctor or Medical Officer	40		
19	Doxycycline tablet 100mg	as recommended in IMGS3 for the specific infection	As directed by Doctor or Medical Officer	40		
20	Ethanol 70%, hand cleanser gel 250ml	an alternative to hand-washing when hands are not obviously soiled	As directed by Doctor or Medical Officer	6		
21	Ethanol 70%, liquid Liquid 500 ml	to disinfect instruments and surfaces	As directed by Doctor or Medical Officer	2		
22	Fluorescein 1%, strips or single use vials 1 ml	to detect damage to cornea: damaged area stains yellow / green	As directed by Doctor or Medical Officer	20		
23	Frusemide Ampoule 4ml = 40mg	to treat severe fluid retention in lungs (pulmonary oedema) due to cardiac failure	As directed by Doctor or Medical Officer	5		
24	Glucagon, ready to use ampoule 1mg amp	to treat low blood sugar (hypoglycaemia) due to insulin when oral intake is impossible and intravenous glucose cannot be given. It is recommended to carry a glucose measuring instrument on board.	As directed by Doctor or Medical Officer	1		



Medicine List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
25	Haloperidol Ampoule 1 ml= 5mg	to treat psychotic hallucinations and delusions to treat severe agitation and aggressiveness	As directed by Doctor or Medical Officer	10		
26	Hydrocortisone 1% cream Cream (20 - 30 gramm)	to treat allergy and some other inflammatory skin conditions	As directed by Doctor or Medical Officer	6		
27	Ibuprofen coated tablet 400 mg	to treat inflammation to reduce mildTo-moderate pain, especially if associated with inflammation	As directed by Doctor or Medical Officer	150		
28	Insect repellent lotions for skin. Vials for personal use DEET 20-35% formulation or Picaridin or p-menthane-3,8-	Consider diseases transmitted by mosquitoes as Dengue Fever , Malaria, YellowFever	As directed by Doctor or Medical Officer	QTY Depends on ship crew		
29	Isosorbide dinitrate tablet 5mg sublingual.	To treat angina pectoris (chest pain) To treat myocardial infarction	As directed by Doctor or Medical Officer	40		
30	Lignocaine 1% (without adrenaline)	for local anaesthesia when suturing wounds or performing minor surgery	As directed by Doctor or Medical Officer	10		
31	Loperamide tablet 2mg	to treat symptoms of diarrhea	As directed by Doctor or Medical Officer	90		
32	Mebendazole tablet 100mg	to treat intestinal worm infections not effective for tapeworm infection or hydatid disease	As directed by Doctor or Medical Officer	20		
33	Metoprolol tablet 100mg	To treat hypertension (high blood pressure) To treat artrial fibrillation (irregular or rapid heart rate)	As directed by Doctor or Medical Officer	60		
34	Metronidazole tablet 500mg	To treat infections responsive to antibiotics	As directed by Doctor or Medical Officer	30		
35	Miconazole 2% cream	To treat fungal skin infections	As directed by Doctor or Medical Officer	6		
36	Midazolam ampoule 1ml (= 5mg)	to terminate epileptic fits.	As directed by Doctor or Medical Officer	10		
37	Misoprostol tablet 200?	to prevent post-partum haemorrhage.	As directed by Doctor or Medical Officer	3		
38	Morphine (injectable) ampoule 1 ml = 10mg	To reduce severe pain To reduce pain not relieved by other analgesics	As directed by Doctor or Medical Officer	30		
39	Morphine (oral) liquid 1mg/ml 100ml bottle or 10 tablets with 10 mg	to reduce severe pain likely to last several days in patients able to eat and drink	As directed by Doctor or Medical Officer	1		
40	Naloxone Ampoule 1 ml (=0.4mg)	to reverse effects of opioids, especially in case of overdose	As directed by Doctor or Medical Officer	10		
41	Omeprazole tablets 20mg	To treat gastro-oesophageal reflux To treat peptic ulcer disease	As directed by Doctor or Medical Officer	60		
42	Ondansetron tablet 4mg	To prevent vomiting To prevent seasickness	As directed by Doctor or Medical Officer	20		
43	Oral rehydration salts sachets of powder for reconstitution	to prevent or treat dehydration, especially due to diarrhea	As directed by Doctor or Medical Officer	20		
44	Oxymetazoline 0.5% (or equivalent) drops or spray	to treat nasal obstruction due to allergies or viral infection, to improve sinus drainage in sinusitis	As directed by Doctor or Medical Officer	6		
45	Paracetamol Tablets 500mg	to reduce pain and fever (but not inflammation)	As directed by Doctor or Medical Officer	300		
46	Permethrin 1% lotion 250 ml	to eliminate hair, pubic, and body lice	As directed by Doctor or Medical Officer	2		
47	Permethrin 5%	to treat scabies	As directed by Doctor or Medical Officer	2		
48	Povidone iodine ointment 10%	to disinfect skin and wounds	As directed by Doctor or Medical Officer	4		
49	Povidone iodine solution 10%	to disinfect skin and wounds	As directed by Doctor or Medical Officer	4		
50	Prednisone tablet 25mg	To treat severe asthma To treat other inflammatory conditions (on medical advice)	As directed by Doctor or Medical Officer	60		
51	Petroleum jelly 50 g to 100 g (vaseline) *	To treat chapped skin. for lubricating rectal thermometer	As directed by Doctor or Medical Officer	4		
52	Salbutamol aerosol inhaler 0.1mg/dose	To treat asthma To treat chronic bronchitis	As directed by Doctor or Medical Officer	3		
52a	Volume spacer for salbutamol inhaler	To make inhaling salbutamol more effective	As directed by Doctor or Medical Officer	1		
53	Sodium chloride 0.9% infusion plastic-bottle 1 litre or 2x 500ml plastic bottle	for fluid replacement Can also be used for sterile eye irrigation,	As directed by Doctor or Medical Officer	5		



Medicine List-Liberia

Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantitiy
54	Sodium chloride 0.9% infusion plastic-bottle 10 ml	For sterile eye bathing and application of wet compresses	As directed by Doctor or Medical Officer	2		
55	Tetracycline 1% ointment Eye ?ointment 5 g	to treat minor eye infections; to prevent infections following damage to the cornea.	As directed by Doctor or Medical Officer	6		
56	Tetanus Immunoglobulin ampoule. (keep at 2-8?C)	Part of wound care if state of vaccination is unknown,	As directed by Doctor or Medical Officer	1		
57	Tetanus toxoid vaccination ampoule (keep at 2-8 ?C)	Part of wound care if state of vaccination is unknown	As directed by Doctor or Medical Officer	1		
58	Tramadol tablets 50 mg.	Against moderate pain; In severe pain use morphine;	As directed by Doctor or Medical Officer	50		
59	Vitamin K (Phytomenadione) Ampoule 1 ml= 10mg	to reverse excessive or unwanted effects of warfarin or related drugs.	As directed by Doctor or Medical Officer	2		
60	Water for injection Ampoules 5ml	reconstitution of injectable drugs provided as powders	As directed by Doctor or Medical Officer	40		
61	Zidovudine plus Lamivudine tablets, 300mg+150mg	Prophylaxis against HIV infections after needle-stick injury. One tablet daily twice daily for four weeks.	As directed by Doctor or Medical Officer	QTY Depends on ship crew		
62	Zinc oxide 20% paste or ointment 50-100 g	protection of irritated skin	As directed by Doctor or Medical Officer	5		



Forms And Books List-Liberia						
Item Number	Item Name	Treatment Requirements	Recommended Dosage	Minimum Qty Required	On Board Quantity	Order Quantity
4,11	Temperature cards/ charts	Use as master copy	As directed by Doctor or Medical Officer	10		
4,12	Cards for telemedical advise	Use ass master copy. Should be filled in before calling radiomedical advise	As directed by Doctor or Medical Officer	10		
4,13	Medical logbook	use as directed	As directed by Doctor or Medical Officer	1		
4,14	Controlled drug register	Controlled drug register	As directed by Doctor or Medical Officer	1		
4,15	International Medical Guide for Ships 3rd	Hard-copy	As directed by Doctor or Medical Officer	1		
4.16a	Forms from Annex A Ship master? reportform	Use as master copy file in medical log	As directed by Doctor or Medical Officer	10		
4.16b	Forms from Annex A Ship? identity and navigational status form	Use as master copy	As directed by Doctor or Medical Officer	10		
4.16c	Forms from Annex A Patient health status form	Use as master copy	As directed by Doctor or Medical Officer	10		
4.16d	Forms from Annex A Primary physician? reportform	Use as master copy	As directed by Doctor or Medical Officer	10		
4,17	Vaccination requirements	International travel and Health, current edition (WHO)	As directed by Doctor or Medical Officer	1		
4,18	Malaria prophylaxis and treatment	<a href="http://www.who.int/malaria/publications.html">www.who.int / malaria / publications.html</a> or <a href="http://www.cdc.gov/travel/regionalmalaria/index.html">www.cdc.gov / travel / regionalmalaria / index.html</a>	As directed by Doctor or Medical Officer	1		