



| Medicine List - UK - MSN 1768 - 1768 Cat A | | | | | | |
|--|---|---|--|----------------------|-------------------|----------------|
| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
| 1A | 1a. Adrenaline /Epinephrine Inj BP 0.5ml -adrenaline acid tartrate injection 1.0mg in 1ml (1 in 1000) | Heart stimulant Anaphalaptic shock (severe allergy with collapse) | 0.5 to 1.0ml by IM inj. | 10 | | |
| 1A2 | 1a2. Epipen (Adrenaline 0.3mg) | Heart stimulant Anaphalaptic shock (severe allergy with collapse) | 0.3mg | 5 | | |
| 1B | 1b. Glyceryl Trinitrate (GTN) Spray 400 micrograms / metered 200 dose aerosol and transdermal patches 5mg x 2 | Anti-Angina (heart pain) suspected heart attack or heart pain | 1-2 sprays under tongue | 1 unit | | |
| 1C1 | 1c1. Frusemide / Furosemide | Diuretic (water tablet) swelling / fluid retention breathlessness due to heart failure | 40mg (1 tab) once daily | 28 | | |
| 1C2 | 1c2. Frusemide / Furosemide | Diuretic (water tablet) swelling / fluid retention breathlessness due to heart failure | 2ml by IM inj. | 2 | | |
| 1D | 1d1. Phytomenadione (Vitamin K1) paediatric injection (0.2ml ampoule) | Anti-Haemorrhage drug for new born babies | 0.2ml (1amp) by IM inj single dose | 1 | | |
| 1D2 | 1d2. Ergometrine 500mcg, Oxytocin 5 units (1ml ampoule) (Syntometrine) | Anti-Haemorrhage drug used immediately after delivery of baby or for bleeding after miscarriage | 1ml (1amp) by IM inj single dose | 2 | | |
| 1E | 1e. Atenolol 50mg tablets | Anti-Hypertension (high BP) drug, may be useful for angina also | 50mg (1 tab) once daily | 28 | | |
| 2A1 | 2a1. Cimetidine 400mg tablets | Anti-Acid drug for heartburn, dyspepsia, stomach and duodenal ulcers | 400mg (1 tab) twice daily | 60 | | |
| 2A2 | 2a2. Proprietary Antacid of choice (Milk Of Magnesia) | Proprietary anti-indigestion preparations for heart burn, Dyspepsia etc. | As Instructions with package. | as required. | | |
| 2B1 | 2b1. Prochlorperazine maleate 3mg buccal tablets | Anti-Sickness drug used for sickness due to ear problems (vertigo), drugs e.g morphine | 3mg (1 tab) under tongue twice daily | 50 | | |
| 2B2 | 2b2. Promethazine hydrochloride 25mg per ml (1ml ampoule) | Anti-sickness drug and anti-histamine useful for severe motion sickness and for severe allergic reactions | 25mg (1 amp) by IM inj | 10 | | |
| 2B3 | 2b3. Hyoscine hydrobromide 0.3mg tablets | Anti-sickness tablet | 0.3mg (1 tab) 6 hourly max 3 in 24 hours | 60 | | |
| 2B4 | 2b4. Cinnarizine 15mg (sturgeon) | Anti-sickness drug used for motion sickness | 15mg (1 tab) 8 hourly | 60 | | |
| 2C | 2c. Glyceryl Suppository mould 4mg | Lubricant Laxative used to encourage passage of stools | 1 suppos. inserted into the rectum | 12 | | |
| 2D | 2d. Loperamide 2mg capsules | Control of diarrhoea | 4mg initially then 2mg after each loose stool | 30 | | |
| 3A1 | 3a1. Paracetamol 500mg tablets | Mild Pain Killer | 1gm (2 tabs) 4 hourly | 100 | | |
| 3A2 | 3a2. Ibuprofen 400mg tablets | Anti-Inflammatory painkiller, suitable for headache, limb pain | 400mg (1 tab) 8 hourly | 100 | | |
| 3A3 | 3a3. Diclofenac sodium 50mg suppository | Anti-Inflammatory painkiller suitable for most pain, especially bone, joint and muscle pain | 50mg (up to 3 via the rectum daily) | 10 | | |
| 3B1 | 3b1. Codeine Phosphate 30mg tablets | Strong painkiller suitable for moderate to severe pain. | 30mg (1 tab) 6 hourly | 28 | | |
| 3B2 | 3b2. Morphine Sulphate 10mg in 1ml injection (1ml ampoule) or nalbuphine 10mg in 1ml injection | Very strong painkiller suitable for all severe pain | 10mg (1 amp) 4-6 hourly by IM inj | 10 | | |
| 3C | 3c. Hyoscine butylbromide 10mg tablets | Anti-Spasmodic for treatment of abdominal cramps and colic | 10-20mg (1-2 tabs) 6 hourly | 56 | | |
| 4A1 | 4a1. Diazemuls injection 5mg per ml, (2ml ampoules) | Anti-anxiety, sedation medication. Can help with muscle spasm in injury and low back pain | 5-10mg by IM injection 5-10mg tablet, 4 hourly up to a maximum of 30mg per day | 5 | | |
| 4A2 | 4a2. Diazepam 5mg tablets | Anti-anxiety, sedation medication. Can help with muscle spasm in injury and low back pain | 5-10mg by IM injection 5-10mg tablet, 4 hourly up to a maximum of 30mg per day | 28 | | |
| 4B1 | 4b1. Chlorpromazine hydrochloride 25mg injection | Anti-Psychosis (acute madness) drug. Sedates and controls symptoms in acute psychosis especially violent or disturbed patients. | 25mg by IM injection, 8 hourly | 5 | | |



Medicine List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|---|--|--|--------------------------|-------------------|----------------|
| 4B2 | 4b2. Chlorpromazine hydrochloride 25mg tablets | Anti-Psychosis (acute madness) drug. Sedates and controls symptoms in acute psychosis violent or disturbed patients. | 25mg tablet 8 hourly | 28 | | |
| 4D | 4d. Diazepam Rectal Dispenser 10mg in 2.5ml | Anti-epileptic medication used to control fits | 10mg per rectum up to a maximum of 2 doses | 5 | | |
| 5A | 5a. Cetirizine 10mg tablets | Anti-Allergy medication useful in controlling itching rashes and hay fever like symptoms due to allergy | 10mg once daily only | 30 | | |
| 5B1 | 5b1. Hydrocortisone injection powder for reconstitution 100mg vial with 2ml water for injection / ready diluted 100mg in 1 ml injection | Anti-Allergy steroid for serious allergies causing severe symptoms or collapse | 100mg by IM injection 8 hourly if repeated | 3 | | |
| 5B2 | 5b2. Prednisolone 5mg tablets | Anti-Allergy steroid also essential treatment of acute asthma | 5-20mg once daily more in severe asthma | 28 | | |
| 6A1 | 6a1. Salbutamol inhaler 100 micrograms per metered dose. 200 dose inhaler with volumatic | Anti-bronchospasm (wheeze) drug used to treat asthma and allergic wheezing | 200 micrograms (2 puffs) 3-4 times daily | 1 | | |
| 6A2 | 6a2. Beclomethasone 100 micrograms per metered dose inhaler | Anti-asthma steroid taken by inhalation usually with salbutamol | 200 micrograms (2 puffs) 3-4 times daily | 1 | | |
| 6B | 6b. Proprietary Cough Mixture | Used to treat coughs | As Instructions with package. | as required. | | |
| 7A1 | 7a1. Benzylpenicillin- benzylpenicillin sodium 600mg injection (powder for reconstitution in a rubber capped and metal topped vial) and water for injection 2ml | First line antibiotic for serious infections such as cellulitis and meningitis | 600 to 1200 mg by IM inj, 6 hourly | 10 | | |
| 7A2 | 7a2. Ciprofloxacin (as hydrochloride) 500mg tablets | Broad spectrum (general purpose) antibiotic | 500mg twice daily | 20 | | |
| 7A3 | 7a3. Cefuroxime injection 750mg vial and water for injection | Broad spectrum antibiotic, useful to protect against infection in major wounds | 750mg by IM inj, 8 Hourly | 20 | | |
| 7A4 | 7a4. Erythromycin 250mg tablets | General purpose antibiotic, useful in penicillin allergic patients | 250-500mg, 6 hourly | 28 | | |
| 7A5 | 7a5. Doxycycline 100mg capsules | Antibiotic used for sexually transmitted diseases and sinusitis | 100mg once daily | 8 | | |
| 7B/C | 7b/c. Trimethoprim 200mg tablets | Antibiotic useful for treatment of urinary tract infection and bronchitis | 200mg twice daily | 14 | | |
| 7D | 7d. Mebendazole 100mg tablets | Anti-parasite drug for treatment of gut infestation e.g. threadworms | 100mg single dose | 8 | | |
| 7 E 1 | 7e1. Metronidazole suppositories 1g | Antibiotic and anti-protazoal e.g. trichomonas and amoebic infections. useful to gut related infections. | 1mg per rectum or 400 / 500mg by mouth, 8 hourly | 10 | | |
| 7 E 2 | 7e2. Metronidazole 500mg or 400mg tablets | Antibiotic and anti-protazoal e.g. trichomonas and amoebic infections. useful to gut related infections. | 1mg per rectum or 400 / 500mg by mouth, 8 hourly | 21 | | |
| 7F1 | 7f1. Tetanus & Diphtheria vaccine (revaxis) (revaxis) (0.5ml amp) | For protection against tetanus infection either in unprotected or as a booster after injury | 0.5ml by IM or deep subcutaneous inj | 5 | | |
| 7F2 | 7f2. Tetanus Immunoglobulin ampoule for injection (tetagam) | Used to protect against tetanus in high risk wounds e.g. agricultural injury in unvaccinated patients | 1 ampoule by IM inj | 1 | | |
| 8 | 8. Sodium chloride & dextrose rehydration salts sachets of Oral Rehydration Salts, Formula A. (Dioralyte) | Used to treat dehydration in vomiting and diarrhoea or severe illness | Follow instructions on Sachet | 1 box (16-20) | | |
| 9A1 | 9a1. 100ml solution or pre-impregnated wipes containing 0.015% w / v chlorhexidine and 0.15% w / v cetrimide | For cleaning skin wounds and disinfection | Follow instructions on bottle / Packaging | 1 Bottle or 1 pack wipes | | |
| 9A2 | 9a2. Neomycin / Bacitracin cream 15g tube | Topical Cream infections | As Instructions with package. | 1 | | |
| 9A31 | 9a31. Hydrocortisone 1% cream 15g tube | Anti-inflammitory weak steroid cream. useful in eczema type rashes, allergic rashes, bites etc. | Applied to affected area sparingly, no more than three times per day | 2 | | |
| 9A32 | 9a32. Proprietary NSAID gel / ointment | Anti-Inflammatory | As Instructions with package. | as required. | | |



Medicine List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|--|--|---|----------------------|-------------------|----------------|
| 9A41 | 9a41. Benzoic ointment BP 50mg (benzoic acid 6%; salicylic acid 3%, in emulsifying ointment 15g | Anti-fungal ointment for treatment of athletes foot, ringworm etc. | Applied to infected area twice a day | 3 | | |
| 9A42 | 9a42. Miconazole nitrate 2% topical cream 30g | Anti-fungal cream for treatment of ringworm etc. | Applied to infected area twice daily | 2 | | |
| 9A43 | 9a43. Clotrimazole 500mg pessary (if women onboard) | Treatment of vaginal or vulval thrush | Insert 1 pessary (single dose) | 2 | | |
| 9A51 | 9a51. Silver Sulphadiazine 1% cream 50g tube | Anti-Bacterial cream for protection against infection in burns. | Applied to burn in burn bag, under dressing or alone. cleaned off at dressing changes and re-applied. | 2 | | |
| 9A61 | 9a61. Permethrin 1% in a base containing isopropylalcohol 20% cream rinse | Skin preparation | As Instructions with package. | 2 | | |
| 9A62 | 9a62. Zinc ointment BP (containing zinc oxide15%) 25g | Moisturising ointment for dry skin conditions | Applied to affected area | 1 | | |
| 9A63 | 9a63. Potassium permanganate crystals 10g container / peritabs pack | For cleansing and deodorising oozing wounds or skin rashes | Wet dressings or baths 0.01% solution | 1 | | |
| 9B1 | 9b1. Chloramphenicol 1% 4g tube | General purpose eye antibiotic use after foreign body / minor injury and for conjunctivitis | instill into eye 3-4 times per day | 4 | | |
| 9B2 | 9b2. Neomycin sulphate 0.5% 0.5ml (gentamicin) | General purpose antibiotic eye drops for eye infection and protection against infection after removal of foreign bodies etc. | instill into eye 3-4 times per day | 20 | | |
| 9B3 | 9b3. Dexamethasone sodium phosphate 0.1% 0.5ml | Treatment of inflamed irritated eyes Anti-inflammatory | instil 1-2 drops into affected eye, 4 times a day | 20 | | |
| 9B4 | 9b4. Amethocaine hydrochloride 0.5% 0.5ml (tetracaine) | Local anaesthetic drops for eye. Useful for numbing eye before removing foreign bodies and for acute pain e.g. in arc eye. | instill 1-2 drops into affected eye do not use repeatedly. | 20 | | |
| 9B5 | 9b5. Pilocarpine nitrate 2% 0.5ml | Drops constrict the pupil , used to treat raised pressure in the eye (glaucoma) | Instill 2 drops 3-6 times per day | 20 | | |
| 96 | 9b6. Fluroscein sodium 1% 0.5ml | Used to detect scratches or lesions on the front of the eye (cornea) | Instill 1-2 drops for examination | 20 | | |
| 9C1 | 9c1. Antibiotic ear drops | General purpose antibiotic / anti-inflammatory ear drops for infection of the outer ear canal | Instill 3 drops into the affected ear 3-4 times per day | 1 | | |
| 9C2 | 9c2. Decongestant solution : Ephedrine nasal drops BP 0.5% Ephedrine hydrochloride (10ml bottle) | Nasal decongestant | Instill 1-2 drops into each nostril 3 times a day | 1 | | |
| 9D | 9d. Chlorhexidine Gluconate 0.2% Mouthwash 300ml | anti-septic mouthwash for sore throats, mouth sores etc. | Rinse mouth with 10 mls twice per day | 1 | | |
| 900 | 9e2. Lignocaine / lidsaine gel 2% , chlorhexidine 0.25% in lubricant syringe | local anaesthetic gel | # | 1 | | |
| 9000 | 9e31. Proprietary gel e.g. bonjela | Soothing Gel for Mouth ulcers | As Instructions with package. | 1 | | |
| 9E+32 | 9e32. Oil of Cloves 10ml | Natural oil with local anaesthetics properties useful in treating toothache | Apply sparingly to affected tooth as required by symptoms. | 1 | | |
| 2F1 | 2f1. Proprietary preparation of choice | as required | as required | as required | | |
| 6C2 | 6c2. Proprietary cold remedy | as required | as required | as required | | |



Medicine List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|---|---|--|----------------------|-------------------|----------------|
| 1A | 1a. Adrenaline /Epinephrine Inj BP 0.5ml -adrenaline acid tartrate injection 1.0mg in 1ml (1 in 1000) | Heart stimulant Anaphalaptic shock (severe allergy with collapse) | 0.5 to 1.0ml by IM inj. | 10 | | |
| 1A2 | 1a2. Epipen (Adrenaline 0.3mg) | Heart stimulant Anaphalaptic shock (severe allergy with collapse) | 0.3mg | 5 | | |
| 1B | 1b. Glyceryl Trinitrate (GTN) Spray 400 micrograms / metered 200 dose aerosol and transdermal patches 5mg x 2 | Anti-Angina (heart pain) suspected heart attack or heart pain | 1-2 sprays under tongue | 1 unit | | |
| 1C1 | 1c1. Frusemide / Furosemide | Diuretic (water tablet) swelling / fluid retention breathlessness due to heart failure | 40mg (1 tab) once daily | 28 | | |
| 1C2 | 1c2. Frusemide / Furosemide | Diuretic (water tablet) swelling / fluid retention breathlessness due to heart failure | 2ml by IM inj. | 2 | | |
| 1D | 1d1. Phytomenadione (Vitamin K1) paediatric injection (0.2ml ampoule) | Anti-Haemorrhage drug for new born babies | 0.2ml (1amp) by IM inj single dose | 1 | | |
| 1D2 | 1d2. Ergometrine 500mcg, Oxytocin 5 units (1ml ampoule) (Syntometrine) | Anti-Haemorrhage drug used immediately after delivery of baby or for bleeding after miscarriage | 1ml (1amp) by IM inj single dose | 2 | | |
| 1E | 1e. Atenolol 50mg tablets | Anti-Hypertension (high BP) drug, may be useful for angina also | 50mg (1 tab) once daily | 28 | | |
| 2A1 | 2a1. Cimetidine 400mg tablets | Anti-Acid drug for heartburn, dyspepsia, stomach and duodenal ulcers | 400mg (1 tab) twice daily | 60 | | |
| 2A2 | 2a2. Proprietary Antacid of choice (Milk Of Magnesia) | Proprietary anti-indigestion preparations for heart burn, Dyspepsia etc. | As Instructions with package. | as required. | | |
| 2B1 | 2b1. Prochlorperazine maleate 3mg buccal tablets | Anti-Sickness drug used for sickness due to ear problems (vertigo), drugs e.g morphine | 3mg (1 tab) under tongue twice daily | 50 | | |
| 2B2 | 2b2. Promethazine hydrochloride 25mg per ml (1ml ampoule) | Anti-sickness drug and anti-histamine useful for severe motion sickness and for severe allergic reactions | 25mg (1 amp) by IM inj | 10 | | |
| 2B3 | 2b3. Hyoscine hydrobromide 0.3mg tablets | Anti-sickness tablet | 0.3mg (1 tab) 6 hourly max 3 in 24 hours | 60 | | |
| 2B4 | 2b4. Cinnarizine 15mg (sturgeon) | Anti-sickness drug used for motion sickness | 15mg (1 tab) 8 hourly | 60 | | |
| 2C | 2c. Glyceryl Suppository mould 4mg | Lubricant Laxative used to encourage passage of stools | 1 suppos. inserted into the rectum | 12 | | |
| 2D | 2d. Loperamide 2mg capsules | Control of diarrhoea | 4mg initially then 2mg after each loose stool | 30 | | |
| 3A1 | 3a1. Paracetamol 500mg tablets | Mild Pain Killer | 1gm (2 tabs) 4 hourly | 100 | | |
| 3A2 | 3a2. Ibuprofen 400mg tablets | Anti-Inflammatory painkiller, suitable for headache, limb pain | 400mg (1 tab) 8 hourly | 100 | | |
| 3A3 | 3a3. Diclofenac sodium 50mg suppository | Anti-Inflammatory painkiller suitable for most pain, especially bone, joint and muscle pain | 50mg (up to 3 via the rectum daily) | 10 | | |
| 3B1 | 3b1. Codeine Phosphate 30mg tablets | Strong painkiller suitable for moderate to severe pain. | 30mg (1 tab) 6 hourly | 28 | | |
| 3B2 | 3b2. Morphine Sulphate 10mg in 1ml injection (1ml ampoule) or nalbuphine 10mg in 1ml injection | Very strong painkiller suitable for all severe pain | 10mg (1 amp) 4-6 hourly by IM inj | 10 | | |
| 3C | 3c. Hyoscine butylbromide 10mg tablets | Anti-Spasmodic for treatment of abdominal cramps and colic | 10-20mg (1-2 tabs) 6 hourly | 56 | | |
| 4A1 | 4a1. Diazemuls injection 5mg per ml, (2ml ampoules) | Anti-anxiety, sedation medication. Can help with muscle spasm in injury and low back pain | 5-10mg by IM injection 5-10mg tablet, 4 hourly up to a maximum of 30mg per day | 5 | | |
| 4A2 | 4a2. Diazepam 5mg tablets | Anti-anxiety, sedation medication. Can help with muscle spasm in injury and low back pain | 5-10mg by IM injection 5-10mg tablet, 4 hourly up to a maximum of 30mg per day | 28 | | |
| 4B1 | 4b1. Chlorpromazine hydrochloride 25mg injection | Anti-Psychosis (acute madness) drug. Sedates and controls symptoms in acute psychosis especially violent or disturbed patients. | 25mg by IM injection, 8 hourly | 5 | | |



Medicine List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|---|--|--|--------------------------|-------------------|----------------|
| 4B2 | 4b2. Chlorpromazine hydrochloride 25mg tablets | Anti-Psychosis (acute madness) drug. Sedates and controls symptoms in acute psychosis violent or disturbed patients. | 25mg tablet 8 hourly | 28 | | |
| 4D | 4d. Diazepam Rectal Dispenser 10mg in 2.5ml | Anti-epileptic medication used to control fits | 10mg per rectum up to a maximum of 2 doses | 5 | | |
| 5A | 5a. Cetirizine 10mg tablets | Anti-Allergy medication useful in controlling itching rashes and hay fever like symptoms due to allergy | 10mg once daily only | 30 | | |
| 5B1 | 5b1. Hydrocortisone injection powder for reconstitution 100mg vial with 2ml water for injection / ready diluted 100mg in 1 ml injection | Anti-Allergy steroid for serious allergies causing severe symptoms or collapse | 100mg by IM injection 8 hourly if repeated | 3 | | |
| 5B2 | 5b2. Prednisolone 5mg tablets | Anti-Allergy steroid also essential treatment of acute asthma | 5-20mg once daily more in severe asthma | 28 | | |
| 6A1 | 6a1. Salbutamol inhaler 100 micrograms per metered dose. 200 dose inhaler with volumatic | Anti-bronchospasm (wheeze) drug used to treat asthma and allergic wheezing | 200 micrograms (2 puffs) 3-4 times daily | 1 | | |
| 6A2 | 6a2. Beclamethasone 100 micrograms per metered dose inhaler | Anti-asthma steroid taken by inhalation usually with salbutamol | 200 micrograms (2 puffs) 3-4 times daily | 1 | | |
| 6B | 6b. Proprietary Cough Mixture | Used to treat coughs | As Instructions with package. | as required. | | |
| 7A1 | 7a1. Benzylpenicillin- benzylpenicillin sodium 600mg injection (powder for reconstitution in a rubber capped and metal topped vial) and water for injection 2ml | First line antibiotic for serious infections such as cellulitis and meningitis | 600 to 1200 mg by IM inj, 6 hourly | 10 | | |
| 7A2 | 7a2. Ciprofloxacin (as hydrochloride) 500mg tablets | Broad spectrum (general purpose) antibiotic | 500mg twice daily | 20 | | |
| 7A3 | 7a3. Cefuroxime injection 750mg vial and water for injection | Broad spectrum antibiotic, useful to protect against infection in major wounds | 750mg by IM inj, 8 Hourly | 20 | | |
| 7A4 | 7a4. Erythromycin 250mg tablets | General purpose antibiotic, useful in penicillin allergic patients | 250-500mg, 6 hourly | 28 | | |
| 7A5 | 7a5. Doxycycline 100mg capsules | Antibiotic used for sexually transmitted diseases and sinusitis | 100mg once daily | 8 | | |
| 7B/C | 7b/c. Trimethoprim 200mg tablets | Antibiotic useful for treatment of urinary tract infection and bronchitis | 200mg twice daily | 14 | | |
| 7D | 7d. Mebendazole 100mg tablets | Anti-parasite drug for treatment of gut infestation e.g. threadworms | 100mg single dose | 8 | | |
| 7 E 1 | 7e1. Metronidazole suppositories 1g | Antibiotic and anti-protazoal e.g. trichomonas and amoebic infections. useful to gut related infections. | 1mg per rectum or 400 / 500mg by mouth, 8 hourly | 10 | | |
| 7 E 2 | 7e2. Metronidazole 500mg or 400mg tablets | Antibiotic and anti-protazoal e.g. trichomonas and amoebic infections. useful to gut related infections. | 1mg per rectum or 400 / 500mg by mouth, 8 hourly | 21 | | |
| 7F1 | 7f1. Tetanus & Diptheria vaccine (revaxis) (revaxis) (0.5ml amp) | For protection against tetanus infection either in unprotected or as a booster after injury | 0.5ml by IM or deep subcutaneous inj | 5 | | |
| 7F2 | 7f2. Tetanus Immunoglobulin ampoule for injection (tetagam) | Used to protect against tetanus in high risk wounds e.g. agricultural injury in unvaccinated patients | 1 ampoule by IM inj | 1 | | |
| 8 | 8. Sodium chloride & dextrose rehydration salts sachets of Oral Rehydration Salts, Formula A. (Dioralyte) | Used to treat dehydration in vomiting and diarrhoea or severe illness | Follow instructions on Sachet | 1 box (16-20) | | |
| 9A1 | 9a1. 100ml solution or pre-impregnated wipes containing 0.015% w / v chlorhexidine and 0.15% w / v cetrimide | For cleaning skin wounds and disinfection | Follow instructions on bottle / Packaging | 1 Bottle or 1 pack wipes | | |
| 9A2 | 9a2. Neomycin / Bacitracin cream 15g tube | Topical Cream infections | As Instructions with package. | 1 | | |
| 9A31 | 9a31. Hydrocortisone 1% cream 15g tube | Anti-inflammitory weak steroid cream. useful in eczema type rashes, allergic rashes, bites etc. | Applied to affected area sparingly, no more than three times per day | 2 | | |
| 9A32 | 9a32. Proprietary NSAID gel / ointment | Anti-Inflammatory | As Instructions with package. | as required. | | |



Medicine List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|--|--|---|----------------------|-------------------|----------------|
| 9A41 | 9a41. Benzoic ointment BP 50mg (benzoic acid 6%; salicylic acid 3%, in emulsifying ointment 15g | Anti-fungal ointment for treatment of athletes foot, ringworm etc. | Applied to infected area twice a day | 3 | | |
| 9A42 | 9a42. Miconazole nitrate 2% topical cream 30g | Anti-fungal cream for treatment of ringworm etc. | Applied to infected area twice daily | 2 | | |
| 9A43 | 9a43. Clotrimazole 500mg pessary (if women onboard) | Treatment of vaginal or vulval thrush | Insert 1 pessary (single dose) | 2 | | |
| 9A51 | 9a51. Silver Sulphadiazine 1% cream 50g tube | Anti-Bacterial cream for protection against infection in burns. | Applied to burn in burn bag, under dressing or alone. cleaned off at dressing changes and re-applied. | 2 | | |
| 9A61 | 9a61. Permethrin 1% in a base containing isopropylalcohol 20% cream rinse | Skin preparation | As Instructions with package. | 2 | | |
| 9A62 | 9a62. Zinc ointment BP (containing zinc oxide15%) 25g | Moisturising ointment for dry skin conditions | Applied to affected area | 1 | | |
| 9A63 | 9a63. Potassium permanganate crystals 10g container / peritabs pack | For cleansing and deodorising oozing wounds or skin rashes | Wet dressings or baths 0.01% solution | 1 | | |
| 9B1 | 9b1. Chloramphenicol 1% 4g tube | General purpose eye antibiotic use after foreign body / minor injury and for conjunctivitis | instill into eye 3-4 times per day | 4 | | |
| 9B2 | 9b2. Neomycin sulphate 0.5% 0.5ml (gentamicin) | General purpose antibiotic eye drops for eye infection and protection against infection after removal of foreign bodies etc. | instill into eye 3-4 times per day | 20 | | |
| 9B3 | 9b3. Dexamethasone sodium phosphate 0.1% 0.5ml | Treatment of inflamed irritated eyes Anti-inflammatory | instil 1-2 drops into affected eye, 4 times a day | 20 | | |
| 9B4 | 9b4. Amethocaine hydrochloride 0.5% 0.5ml (tetracaine) | Local anaesthetic drops for eye. Useful for numbing eye before removing foreign bodies and for acute pain e.g. in arc eye. | instill 1-2 drops into affected eye do not use repeatedly. | 20 | | |
| 9B5 | 9b5. Pilocarpine nitrate 2% 0.5ml | Drops constrict the pupil , used to treat raised pressure in the eye (glaucoma) | Instill 2 drops 3-6 times per day | 20 | | |
| 96 | 9b6. Fluroscein sodium 1% 0.5ml | Used to detect scratches or lesions on the front of the eye (cornea) | Instill 1-2 drops for examination | 20 | | |
| 9C1 | 9c1. Antibiotic ear drops | General purpose antibiotic / anti-inflammatory ear drops for infection of the outer ear canal | Instill 3 drops into the affected ear 3-4 times per day | 1 | | |
| 9C2 | 9c2. Decongestant solution : Ephedrine nasal drops BP 0.5% Ephedrine hydrochloride (10ml bottle) | Nasal decongestant | Instill 1-2 drops into each nostril 3 times a day | 1 | | |
| 9D | 9d. Chlorhexidine Gluconate 0.2% Mouthwash 300ml | anti-septic mouthwash for sore throats, mouth sores etc. | Rinse mouth with 10 mls twice per day | 1 | | |
| 900 | 9e2. Lignocaine / lidsaine gel 2% , chlorhexidine 0.25% in lubricant syringe | local anaesthetic gel | # | 1 | | |
| 9000 | 9e31. Proprietary gel e.g. bonjela | Soothing Gel for Mouth ulcers | As Instructions with package. | 1 | | |
| 9E+32 | 9e32. Oil of Cloves 10ml | Natural oil with local anaesthetics properties useful in treating toothache | Apply sparingly to affected tooth as required by symptoms. | 1 | | |
| 2F1 | 2f1. Proprietary preparation of choice | as required | as required | as required | | |
| 6C2 | 6c2. Proprietary cold remedy | as required | as required | as required | | |



Medical Equipment List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|--|------------------------|--------------------|----------------------|-------------------|----------------|
| 1A | 1a. Oxygen reservoir (e.g. D Size 300ltr cylinder) | Use As Directed | Use As Directed | 1 | | |
| 1A2 | 1a2. 1 Flow meter unit giving a minimum setting of not less than 4ltrs per minute | Use As Directed | Use As Directed | 1 | | |
| 1A3 | 1a3. 1 Pressure regulating unit | Use As Directed | Use As Directed | 1 | | |
| 1A4 | 1a4. 1 Set of tubing | Use As Directed | Use As Directed | 1 | | |
| 1A5 | 1a5. 5 x 24% oxygen disposable face masks | Use As Directed | Use As Directed | 1 | | |
| 1A6 | 1a6. 5 x high concentration oxygen disposable face masks with a reservoir Each part constructed so that it can only be assembled in the correct manner | Use As Directed | Use As Directed | 1 | | |
| 1B | 1b. Aspirator to clear airways (manual, hand operated) + 2 catheters | Use As Directed | Use As Directed | 1 | | |
| 1C1 | 1c. Pocket face mask with valve | Use As Directed | Use As Directed | 1 | | |
| 1C2 | 1c2. Inlet Guedal Airway Sizes 3 & 4 | Use As Directed | Use As Directed | 1 | | |
| 2A1 | 2a1. Sterile non-absorbable sutures swaged to a half circle needle with a cutting edge 2 Sizes e.g. 16mm & 26mm | Use As Directed | Use As Directed | 6 | | |
| 2A2 | 2a2. Sterile Absorbable sutures swaged to a half circle needle 1 size e.g. 26mm | Use As Directed | Use As Directed | 3 | | |
| 2B1 | 2b1. Adhesive elastic bandage 7.5cm x 4 cm | Use As Directed | Use As Directed | 4 | | |
| 2B2 | 2b2. Crepe bandage 7.5cm x 4cm | Use As Directed | Use As Directed | 4 | | |
| 2C | 2c. Tubular Gauze bandage, for finger dressings 20m length with applicator | Use As Directed | Use As Directed | 1 | | |
| 2D | 2d. Latex Free Vinyl Disposable Gloves | Use As Directed | Use As Directed | 25 pairs | | |
| 2E | 2e. Adhesive Dressings Assorted Sterile | Use As Directed | Use As Directed | 40 | | |
| 2F1 | 2f1. Sterile bandages with unmedicated dressings (Ambulance dressings) medium, No.1 (12x10) cm | Use As Directed | Use As Directed | 5 | | |
| 2F2 | 2f2. Sterile bandages with unmedicated dressings (Ambulance dressings) Large, No.2 (20x15) cm | Use As Directed | Use As Directed | 5 | | |
| 2F3 | 2f3, Sterile bandages with unmedicated dressings (Ambulance dressings) Extra Large, No.3 (28x20) cm | Use As Directed | Use As Directed | 4 | | |
| 2G | 2g. Adhesive Sutures 75mm adhesive suture strips | Use As Directed | Use As Directed | 6 | | |
| 2H | 2h. Sterile Gauze Swabs packet containing 5 sterile gauze pads size 7.5cm x 7.5cm | Use As Directed | Use As Directed | 10 | | |
| 2I | 2i. Sterile burns sheet for burns victims | Use As Directed | Use As Directed | 1 | | |
| 2J | 2j. Triangular Sling / Bandage | Use As Directed | Use As Directed | 4 | | |
| 2K | 2k. Paraffin gauze dressings, size 10cm x 10cm | Use As Directed | Use As Directed | 40 | | |
| 3A | 3a. Disposable scalpels e.g. 10 Blades | Use As Directed | Use As Directed | 2 | | |
| 3B | 3b. Stainless Steel instrument box | Use As Directed | Use As Directed | 1 | | |
| 3C1 | 3c1. Stainless Steel Dressing Scissors | Use As Directed | Use As Directed | 1 | | |
| 3C2 | 3c2. Sharp Pointed Scissors | Use As Directed | Use As Directed | 1 | | |
| 3D | 3d. Dissecting Forceps Toothed | Use As Directed | Use As Directed | 1 | | |
| 3E | 3e. Haemostatic Clamps | Use As Directed | Use As Directed | 1 | | |
| 3F | 3f. Needle Forceps | Use As Directed | Use As Directed | 1 | | |
| 3G | 3g. Disposable Razors | Use As Directed | Use As Directed | 5 | | |



| Medical Equipment List - UK - MSN 1768 - 1768 Cat A | | | | | | |
|---|---|------------------------|--------------------|----------------------|-------------------|----------------|
| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
| 4A | 4a. Disposable Tongue Depressors | Use As Directed | Use As Directed | 10 | | |
| 4B | 4b. Reactive Strips for urine analysis e.g. multistix | Use As Directed | Use As Directed | 1 pack | | |
| 4C | 4c. Temperature Charts | Use As Directed | Use As Directed | 1 pad | | |
| 4D | 4d. Medical Evaluation Reports | Use As Directed | Use As Directed | 1 pad | | |
| 4E | 4e. Pregnancy Test kit | Use As Directed | Use As Directed | 1 | | |
| 4F | 4f. Stethoscope | Use As Directed | Use As Directed | 1 | | |
| 4G | 4g. Aneroid Sphygmomanometer | Use As Directed | Use As Directed | 1 | | |
| 4H | 4h. Standard clinical thermometer | Use As Directed | Use As Directed | 3 | | |
| 4I | 4i. Hypothermic thermometer low reading rectal thermometer | Use As Directed | Use As Directed | 1 | | |
| 4J | 4j. Disposable Sputum cup with cover | Use As Directed | Use As Directed | 2 | | |
| 4K | 4k. Specimen jars Strong glass or plastic with airtight lid 50ml with blank labels | Use As Directed | Use As Directed | 2 | | |
| 5A | 5a. Bladder Drainage set including bag, spigots and tube | Use As Directed | Use As Directed | 1 | | |
| 5B | 5b. Rectal Drip set | Use As Directed | Use As Directed | 1 | | |
| 5C | 5c. Disposable syringes 2ml, 5ml, 10ml, | Use As Directed | Use As Directed | 10 of each | | |
| 5D | 5d. Disposable Hypodermic needles (21G) 0.8mm and (25G) 0.5mm | Use As Directed | Use As Directed | 30 | | |
| 5E | 5e. "Sharps" Disposal box 1 litre size | Use As Directed | Use As Directed | 1 | | |
| 5F1 | 5f1. Catheter Foley type 16 charriere guage, 5 ml balloon (short / medium term use in adults) | Use As Directed | Use As Directed | 1 | | |
| 5F2 | 5f2. Catheter Nelaton size 16 charriere guage 9 with no balloon) | Use As Directed | Use As Directed | 1 | | |
| 5F3 | 5f3. Catheter Penile sheath set | Use As Directed | Use As Directed | 1 | | |
| 6A | 6a. BedPan (Stainless steel or sterilisable plastic) | Use As Directed | Use As Directed | 1 | | |
| 6B | 6b. Hot Water bottle with fabric cover | Use As Directed | Use As Directed | 1 | | |
| 6C | 6c. Urine bottle (urinal) | Use As Directed | Use As Directed | 1 | | |
| 6D | 6d. Ice bag | Use As Directed | Use As Directed | 1 | | |
| 7A | 7a. Malleable finger splint | Use As Directed | Use As Directed | 1 | | |
| 7B | 7b. Malleable forearm and hand splint | Use As Directed | Use As Directed | 1 | | |
| 7C | 7c. Splints - simple, vacuum (inflatable only if others unavailable) | Use As Directed | Use As Directed | 1 | | |
| 7D | 7d. Thigh Splint - (Traction) e.g. thomas, donway etc. | Use As Directed | Use As Directed | 1 | | |
| 7E | 7e. Collar for neck immobilisation - (semi-rigid) Adjustable Collar | Use As Directed | Use As Directed | 1 | | |
| 8A1 | 8a1. Water disinfection compound in liquid form - litres | Use As Directed | Use As Directed | 5 | | |
| 8A2 | 8a2. liquid insecticide / powder insecticide in liquid form - litres | Use As Directed | Use As Directed | 5 | | |



Medical Equipment List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|--|------------------------|--------------------|----------------------|-------------------|----------------|
| 1A | 1a. Oxygen reservoir (e.g. D Size 300ltr cylinder) | Use As Directed | Use As Directed | 1 | | |
| 1A2 | 1a2. 1 Flow meter unit giving a minimum setting of not less than 4ltrs per minute | Use As Directed | Use As Directed | 1 | | |
| 1A3 | 1a3. 1 Pressure regulating unit | Use As Directed | Use As Directed | 1 | | |
| 1A4 | 1a4. 1 Set of tubing | Use As Directed | Use As Directed | 1 | | |
| 1A5 | 1a5. 5 x 24% oxygen disposable face masks | Use As Directed | Use As Directed | 1 | | |
| 1A6 | 1a6. 5 x high concentration oxygen disposable face masks with a reservoir Each part constructed so that it can only be assembled in the correct manner | Use As Directed | Use As Directed | 1 | | |
| 1B | 1b. Aspirator to clear airways (manual, hand operated) + 2 catheters | Use As Directed | Use As Directed | 1 | | |
| 1C1 | 1c. Pocket face mask with valve | Use As Directed | Use As Directed | 1 | | |
| 1C2 | 1c2. Inlet Guedal Airway Sizes 3 & 4 | Use As Directed | Use As Directed | 1 | | |
| 2A1 | 2a1. Sterile non-absorbable sutures swaged to a half circle needle with a cutting edge 2 Sizes e.g. 16mm & 26mm | Use As Directed | Use As Directed | 6 | | |
| 2A2 | 2a2. Sterile Absorbable sutures swaged to a half circle needle 1 size e.g. 26mm | Use As Directed | Use As Directed | 3 | | |
| 2B1 | 2b1. Adhesive elastic bandage 7.5cm x 4 cm | Use As Directed | Use As Directed | 4 | | |
| 2B2 | 2b2. Crepe bandage 7.5cm x 4cm | Use As Directed | Use As Directed | 4 | | |
| 2C | 2c. Tubular Gauze bandage, for finger dressings 20m length with applicator | Use As Directed | Use As Directed | 1 | | |
| 2D | 2d. Latex Free Vinyl Disposable Gloves | Use As Directed | Use As Directed | 25 pairs | | |
| 2E | 2e. Adhesive Dressings Assorted Sterile | Use As Directed | Use As Directed | 40 | | |
| 2F1 | 2f1. Sterile bandages with unmedicated dressings (Ambulance dressings) medium, No.1 (12x10) cm | Use As Directed | Use As Directed | 5 | | |
| 2F2 | 2f2. Sterile bandages with unmedicated dressings (Ambulance dressings) Large, No.2 (20x15) cm | Use As Directed | Use As Directed | 5 | | |
| 2F3 | 2f3. Sterile bandages with unmedicated dressings (Ambulance dressings) Extra Large, No.3 (28x20) cm | Use As Directed | Use As Directed | 4 | | |
| 2G | 2g. Adhesive Sutures 75mm adhesive suture strips | Use As Directed | Use As Directed | 6 | | |
| 2H | 2h. Sterile Gauze Swabs packet containing 5 sterile gauze pads size 7.5cm x 7.5cm | Use As Directed | Use As Directed | 10 | | |
| 2I | 2i. Sterile burns sheet for burns victims | Use As Directed | Use As Directed | 1 | | |
| 2J | 2j. Triangular Sling / Bandage | Use As Directed | Use As Directed | 4 | | |
| 2K | 2k. Paraffin gauze dressings, size 10cm x 10cm | Use As Directed | Use As Directed | 40 | | |
| 3A | 3a. Disposable scalpels e.g. 10 Blades | Use As Directed | Use As Directed | 2 | | |
| 3B | 3b. Stainless Steel instrument box | Use As Directed | Use As Directed | 1 | | |
| 3C1 | 3c1. Stainless Steel Dressing Scissors | Use As Directed | Use As Directed | 1 | | |
| 3C2 | 3c2. Sharp Pointed Scissors | Use As Directed | Use As Directed | 1 | | |
| 3D | 3d. Dissecting Forceps Toothed | Use As Directed | Use As Directed | 1 | | |
| 3E | 3e. Haemostatic Clamps | Use As Directed | Use As Directed | 1 | | |
| 3F | 3f. Needle Forceps | Use As Directed | Use As Directed | 1 | | |
| 3G | 3g. Disposable Razors | Use As Directed | Use As Directed | 5 | | |



Medical Equipment List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantity |
|-------------|---|------------------------|--------------------|----------------------|-------------------|----------------|
| 4A | 4a. Disposable Tongue Depressors | Use As Directed | Use As Directed | 10 | | |
| 4B | 4b. Reactive Strips for urine analysis e.g. multistix | Use As Directed | Use As Directed | 1 pack | | |
| 4C | 4c. Temperature Charts | Use As Directed | Use As Directed | 1 pad | | |
| 4D | 4d. Medical Evaluation Reports | Use As Directed | Use As Directed | 1 pad | | |
| 4E | 4e. Pregnancy Test kit | Use As Directed | Use As Directed | 1 | | |
| 4F | 4f. Stethoscope | Use As Directed | Use As Directed | 1 | | |
| 4G | 4g. Aneroid Sphygmomanometer | Use As Directed | Use As Directed | 1 | | |
| 4H | 4h. Standard clinical thermometer | Use As Directed | Use As Directed | 3 | | |
| 4I | 4i. Hypothermic thermometer low reading rectal thermometer | Use As Directed | Use As Directed | 1 | | |
| 4J | 4j. Disposable Sputum cup with cover | Use As Directed | Use As Directed | 2 | | |
| 4K | 4k. Specimen jars Strong glass or plastic with airtight lid 50ml with blank labels | Use As Directed | Use As Directed | 2 | | |
| 5A | 5a. Bladder Drainage set including bag, spigots and tube | Use As Directed | Use As Directed | 1 | | |
| 5B | 5b. Rectal Drip set | Use As Directed | Use As Directed | 1 | | |
| 5C | 5c. Disposable syringes 2ml, 5ml, 10ml, | Use As Directed | Use As Directed | 10 of each | | |
| 5D | 5d. Disposable Hypodermic needles (21G) 0.8mm and (25G) 0.5mm | Use As Directed | Use As Directed | 30 | | |
| 5E | 5e. "Sharps" Disposal box 1 litre size | Use As Directed | Use As Directed | 1 | | |
| 5F1 | 5f1. Catheter Foley type 16 charriere guage, 5 ml balloon (short / medium term use in adults) | Use As Directed | Use As Directed | 1 | | |
| 5F2 | 5f2. Catheter Nelaton size 16 charriere guage 9 with no balloon) | Use As Directed | Use As Directed | 1 | | |
| 5F3 | 5f3. Catheter Penile sheath set | Use As Directed | Use As Directed | 1 | | |
| 6A | 6a. BedPan (Stainless steel or sterilisable plastic) | Use As Directed | Use As Directed | 1 | | |
| 6B | 6b. Hot Water bottle with fabric cover | Use As Directed | Use As Directed | 1 | | |
| 6C | 6c. Urine bottle (urinal) | Use As Directed | Use As Directed | 1 | | |
| 6D | 6d. Ice bag | Use As Directed | Use As Directed | 1 | | |
| 7A | 7a. Malleable finger splint | Use As Directed | Use As Directed | 1 | | |
| 7B | 7b. Malleable forearm and hand splint | Use As Directed | Use As Directed | 1 | | |
| 7C | 7c. Splints - simple, vacuum (inflatable only if others unavailable) | Use As Directed | Use As Directed | 1 | | |
| 7D | 7d. Thigh Splint - (Traction) e.g. thomas, donway etc. | Use As Directed | Use As Directed | 1 | | |
| 7E | 7e. Collar for neck immobilisation - (semi-rigid) Adjustable Collar | Use As Directed | Use As Directed | 1 | | |
| 8A1 | 8a1. Water disinfection compound in liquid form - litres | Use As Directed | Use As Directed | 5 | | |
| 8A2 | 8a2. liquid insecticide / powder insecticide in liquid form - litres | Use As Directed | Use As Directed | 5 | | |



Recommended Additional Equipment List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantitiy |
|-------------|---|------------------------|--------------------|----------------------|-------------------|-----------------|
| 1A | 1a. Face masks disposable | As Directed | As Directed | 6 | | |
| 1B | 1b. Plastic measuring jug 1/2 litre size | As Directed | As Directed | 1 | | |
| 1C | 1c. Disposable paper towels | As Directed | As Directed | 100 (1 Roll) | | |
| 1D | 1d. Latex free sterile surgical disposable gloves (large) | As Directed | As Directed | 5 Pairs | | |
| 1E | 1e. Waterproof plastic sheeting, Size 1m x 2m | As Directed | As Directed | 2 | | |
| 1F | 1f. Lotion bowl | As Directed | As Directed | 1 | | |
| 1G | 1g. Kidney dish | As Directed | As Directed | 1 | | |
| 1H | 1h. Safety pins | As Directed | As Directed | 6 | | |
| 1I | 1i. Magnifying Glass with handle | As Directed | As Directed | 1 | | |
| 1J | 1j. Nail brush | As Directed | As Directed | 1 | | |
| 1K | 1k. Stretcher Equipment | As Directed | As Directed | # | | |
| 1L | 1l. Body bag - Large Size | As Directed | As Directed | 1 | | |
| 1M | 1m. Microscope slides in individual transit containers | As Directed | As Directed | # | | |
| 1N | 1n. Dental Kit | As Directed | As Directed | 1 Pack | | |
| 1O | 1o. Scissors Stainless steel or disposable | As Directed | As Directed | # | | |
| 1P | 1p. Triangular bandages about 90cm x 127cm | As Directed | As Directed | # | | |
| 1Q | 1q. Sterile parrafan gauze dressings | As Directed | As Directed | # | | |
| 1R | 1r. Plastic burn bags | As Directed | As Directed | # | | |
| 1S | 1s. Kit for protection against blood transmitted diseases | As Directed | As Directed | # | | |



Recommended Additional Equipment List - UK - MSN 1768 - 1768 Cat A

| Item Number | Item Name | Treatment Requirements | Recommended Dosage | Minimum Qty Required | On Board Quantity | Order Quantitiy |
|-------------|---|------------------------|--------------------|----------------------|-------------------|-----------------|
| 1A | 1a. Face masks disposable | As Directed | As Directed | 6 | | |
| 1B | 1b. Plastic measuring jug 1/2 litre size | As Directed | As Directed | 1 | | |
| 1C | 1c. Disposable paper towels | As Directed | As Directed | 100 (1 Roll) | | |
| 1D | 1d. Latex free sterile surgical disposable gloves (large) | As Directed | As Directed | 5 Pairs | | |
| 1E | 1e. Waterproof plastic sheeting, Size 1m x 2m | As Directed | As Directed | 2 | | |
| 1F | 1f. Lotion bowl | As Directed | As Directed | 1 | | |
| 1G | 1g. Kidney dish | As Directed | As Directed | 1 | | |
| 1H | 1h. Safety pins | As Directed | As Directed | 6 | | |
| 1I | 1i. Magnifying Glass with handle | As Directed | As Directed | 1 | | |
| 1J | 1j. Nail brush | As Directed | As Directed | 1 | | |
| 1K | 1k. Stretcher Equipment | As Directed | As Directed | # | | |
| 1L | 1l. Body bag - Large Size | As Directed | As Directed | 1 | | |
| 1M | 1m. Microscope slides in individual transit containers | As Directed | As Directed | # | | |
| 1N | 1n. Dental Kit | As Directed | As Directed | 1 Pack | | |
| 1O | 1o. Scissors Stainless steel or disposable | As Directed | As Directed | # | | |
| 1P | 1p. Triangular bandages about 90cm x 127cm | As Directed | As Directed | # | | |
| 1Q | 1q. Sterile parrafin gauze dressings | As Directed | As Directed | # | | |
| 1R | 1r. Plastic burn bags | As Directed | As Directed | # | | |
| 1S | 1s. Kit for protection against blood transmitted diseases | As Directed | As Directed | # | | |